

Sum of Us: Truthful Self-Selection

Noga Alon* Felix Fischer† Ariel D. Procaccia‡ Moshe Tennenholtz §

Abstract

We consider directed graphs over a set of agents, where an edge $\langle i, j \rangle$ is taken to mean that agent i trusts or supports agent j . Given such a graph, our goal is to select a subset of agents of fixed size that maximizes the sum of indegrees, that is, a subset of most popular or most trusted agents. On the other hand, each agent is only interested in being selected, and may misreport its outgoing edges to this end. This problem formulation captures realistic scenarios where agents choose among themselves, in the context of, e.g., social networks such as Twitter, reputation systems such as Epinions, and Internet search.

We wish to design mechanisms—functions that map graphs to selected subsets (without making payments)—which satisfy two constraints: *strategyproofness*, i.e., agents cannot benefit from misreporting their outgoing edges; and *approximation*, that is, the mechanism must always select a subset of agents that is close to optimal in terms of the sum of indegrees. Our first major result is a surprising impossibility: no deterministic strategyproof mechanism can yield a finite approximation ratio for any $k \in \{1, \dots, n-1\}$, where k is the size of the selected subset and n is the number of agents. Our second major result is a randomized strategyproof mechanism that yields an approximation ratio of four for any value of k , and provides a ratio that approaches one as k grows.

*Microsoft Israel R&D Center, 13 Shenkar Street, Herzeliya 46725, Israel, and Schools of Mathematics and Computer Science, Tel Aviv University, Tel Aviv, 69978, Israel, Email: nogaa@tau.ac.il. Research supported in part by a USA Israeli BSF grant, by a grant from the Israel Science Foundation, by an ERC advanced grant and by the Hermann Minkowski Minerva Center for Geometry at Tel Aviv University.

†Institut für Informatik, Ludwig-Maximilians-Universität München, 80538 München, Germany, email: fischerf@tcs.ifi.lmu.de. Part of the work was done while the author was visiting The Hebrew University of Jerusalem. This visit was supported by a Minerva Short-Term Research Grant.

‡Microsoft Israel R&D Center, 13 Shenkar Street, Herzeliya 46725, Israel. Email: arielpro@gmail.com.

§Microsoft Israel R&D Center, 13 Shenkar Street, Herzeliya 46725, Israel, and Technion, IIT, Haifa 32000, Israel. Email: moshet@microsoft.com

1 Introduction

One of the most well-studied settings in social choice theory concerns a set of *agents* (also known as *voters* or *individuals*) and a set of *alternatives* (also known as *candidates*). The agents express their preferences over the alternatives, and these are mapped by some function to a winning alternative or set of winning alternatives. In one prominent variation, each agent must select a subset of alternatives that it approves; this setting is known as *Approval voting* [6].

We consider an Approval voting setting where the set of agents and the set of alternatives coincide. Specifically, in our model there is an underlying directed graph, with the agents as vertices. An edge from agent i to agent j implies that agent i approves, votes for, trusts, or supports agent j . Our goal is to select a subset of k “best” agents, based on the given graph; we elaborate on what we mean by “best” later on.

Our assumption that agents and alternatives coincide enables us to restrict the preferences of the agents. Indeed, we assume that each agent is only interested in whether it is among the subset of selected agents, that is, an agent has a utility of one if it is selected and zero otherwise. This assumption reflects (in the limit) a situation where each agent gives very small weight to the overall composition of the selected subset, and very high weight to the question of its own selection.¹

As an obvious first motivating example, consider an Internet search setting. The web pages are the agents, while hyperlinks are represented by edges. Given this graph, a search engine must return a set of, say, ten top web pages. Put another way, the top web pages are selected based on the votes (hyperlinks) of the web pages themselves. Each specific web page (or, more accurately, its webmaster) is naturally concerned only with appearing at the top of search results, and to this end may add or remove hyperlinks at will.

A (deterministic) k -selection mechanism is a function that maps a given graph on the set of agents to a k -subset of selected agents. We also consider randomized k -selection mechanisms, which randomly select a subset.

Fixing a mechanism f , the agents play the following game. The private information of an agent is its outgoing edges in the underlying graph G . Each agent reports a set of outgoing edges to the mechanism. The reported edges induce a graph G' ; the mechanism then selects the subset $f(G')$. We say that a mechanism is *strategyproof (SP)* if an agent cannot benefit from misreporting its outgoing edges, that is, cannot influence whether it is selected (or increase its probability of being selected, in the case of randomized mechanisms), even if it has complete information about the rest of the graph. Furthermore, we say that a mechanism is *group strategyproof (GSP)* if even a coalition of agents cannot all gain from misreporting their outgoing edges.

We now explain what we mean by selecting the “best” agents. In this paper, we measure the quality of a set of agents by their total number of incoming edges, i.e., the sum of their indegrees. In other words, the goal of the mechanism designer is to optimize this target function. Note that the designer’s goal is in a sense orthogonal to the agent’s interests, which may make the design of good strategyproof mechanisms difficult.

For a second motivating example we look to social networks. Some social networks correspond to undirected graphs, the paradigmatic example being Facebook. However, many social networks have unilateral connections. Each user of the reputation system Epinions (<http://www.epinions.com>) has a “Web of Trust”, that is, the user unilaterally chooses which other users to trust. Another prominent example is a social network called Twitter (<http://twitter.com>), which of late has

¹See Section 5 for further discussion of this utility model.

become wildly popular; a Twitter user may choose which other users to “follow”.

In “directed” social networks, selecting a k -subset with maximum total indegree simply means selecting the k most popular or most trusted users. Applications include setting up a committee, recommending a trusted group of vendors, targeting a group for a (paid) advertising campaign, or simply holding a popularity contest. The last point may seem pure fantasy, but, indeed, celebrity users of Twitter have recently held a race to the one million followers milestone; the dubious honor ultimately went to Ashton Kutcher. Clearly Mr. Kutcher could increase the chance of being selected by not following any other users, that is, reporting an empty set of outgoing edges.²

Since a mechanism that selects an optimal subset (in terms of total indegree) is clearly not SP, we will resort to approximation. In more detail, we seek SP mechanisms that give a good approximation, in the usual sense, to the total indegree. Crucially, the approximation is *not* employed in this context to circumvent computational complexity (as the problem of selecting an optimal subset is clearly tractable), but in order to sufficiently broaden the space of acceptable mechanisms to include SP ones.

Context and related work. This work falls squarely into the realm of *approximate mechanism design without money*, an agenda recently introduced by some of us (Procaccia and Tennenholtz [20]), which builds on earlier work (see, e.g., [9]). This agenda advocates the design of SP approximation mechanisms *that do not make payments* for structured, and preferably computationally tractable, optimization problems. Indeed, while almost all the work in the field of *algorithmic mechanism design* [19] considers approximation mechanisms that are allowed to make payments, money is usually unavailable in Internet domains such as the ones discussed above (social networks, search engines) due to security and banking issues (see, e.g., the book chapter by Schummer and Vohra [22]). Due to this reason, and several other weighty arguments, our notion of mechanism, sometimes referred to as a *social choice rule* in the social choice literature, precludes payments by definition. Note that [20] (see also [1]) deals with a completely different domain, namely facility location.

For $k = 1$ (that is, one agent must be selected), the game that we deal with is a special case of so-called *selection games* [4], where the strategy sets are the outgoing edges. More generally, this setting is related to work in distributed computing on *leader election* (see, e.g., [2, 8, 11, 5]). In this line of work, there is a set of *cheaters*, or faulty agents, that would like to be selected. To name one major difference between this work and ours, in the distributed computing work there is no optimization aspect, but rather the goal is to select a random (honest) agent.

Our results and techniques. We give rather tight upper and lower bounds on the approximation ratio achievable by k -selection mechanisms in the setting described above; the properties of the mechanisms fall into two orthogonal dimensions: deterministic vs. randomized, and SP vs. GSP. A summary of our results is given in Table 1.

Our contribution begins in Section 3 with a study of deterministic k -selection mechanisms. It is quite easy to see that no deterministic SP 1-selection mechanism can yield a finite approximation ratio. Intuitively, this should not be true for large values of k . Indeed, in order to have a finite approximation ratio, a mechanism should very simply select a subset of agents with at least one incoming edge if there is one. An extreme case is $k = n - 1$, that is, we must select all the agents save one: is it possible to design an SP mechanism that does not eliminate the unique agent with positive indegree? Our first result gives a surprising negative answer to this question, and in fact holds for every value of k .

²See Section 5 for a discussion of the influence of a single agent.

		Deterministic	Randomized
SP	Upper bound	NA	$\min\{4, 1 + \tilde{O}(1/k^{1/3})\}$
	Lower bound	∞	$1 + \Omega(1/k^2)$
GSP	Upper bound	NA	$\frac{n}{k}$
	Lower bound	∞	$\frac{n-1}{k}$

Table 1: Summary of our results with respect to k -selection mechanisms, where n is the number of agents. SP stands for strategyproof whereas GSP stands for group strategyproof.

Theorem 3.1. Let $N = \{1, \dots, n\}$, $n \geq 2$, and $k \in \{1, \dots, n-1\}$. There is no deterministic SP k -selection mechanism that gives a finite approximation ratio.

The proof of the theorem is compact but rather tricky. It involves two main arguments. We first restrict our attention to graphs that are stars with a common center. An SP mechanism over such graphs can be represented using a function over the boolean $(n-1)$ -cube, which must satisfy some constraints. We then show that the constraints lead to a contradiction using a parity argument.

In Section 4 we turn our attention to randomized k -selection mechanisms. We design a randomized mechanism, *Random m -Partition (m-RP)*, parameterized by m . Broadly speaking, the mechanism works as follows: the agents are randomly partitioned into m subsets; we then select the (roughly) k/m agents with largest indegree from each subset, when only the incoming edges from the other subsets are taken into account. This rather simple technique is reminiscent of work on *random sampling* in the context of auctions for digital goods [13, 16, 12] and combinatorial auctions [10], although our problem is fundamentally different. We have the following theorem.

Theorem. Let $N = \{1, \dots, n\}$, $k \in \{1, \dots, n-1\}$. For every value of m , m -RP is SP. Furthermore:

1. 2-RP has an approximation ratio of four.
2. ($\lceil k^{1/3} \rceil$)-RP has an approximation ratio of $1 + \tilde{O}(1/k^{1/3})$.

Since k , the number of agents to be selected, is fixed as a part of the problem formulation, we can choose for each value of k the best value of m when applying m -RP. Put another way, there exists a mechanism that always yields an approximation ratio of at most four, and furthermore provides a ratio that approaches one as k grows. In addition, we prove a lower bound of $1 + \Omega(1/k^2)$ on the approximation ratio that can be achieved via randomized SP k -selection mechanisms; in particular, the lower bound for $k = 1$ is two.

Our final result concerns randomized GSP k -selection mechanisms. We present a lower bound of $(n-1)/k$. This result implies that if one asks for group strategyproofness, one essentially cannot do better than simply select k agents at random, as this gives a randomized GSP upper bound of n/k .

2 The Model

Let $N = \{1, \dots, n\}$ be a set of *agents*. For each $k = 1, \dots, n$, we let $\mathcal{S}_k = \mathcal{S}_k(n)$ be the collection of subsets of size k of N , that is,

$$\mathcal{S}_k = \{S \subseteq N : |S| = k\} .$$

We consider directed graphs $G = \langle N, E \rangle$, that is, graphs with N as the set of vertices; let $\mathcal{G} = \mathcal{G}(N)$ be the set of such graphs.

A *deterministic k -selection mechanism* is a function $f : \mathcal{G} \rightarrow \mathcal{S}_k$, which selects a subset of agents given a graph. If the subset $S \subseteq N$ was selected, the utility of agent $i \in N$ is

$$u_i(S) = \begin{cases} 1 & i \in S \\ 0 & i \notin S \end{cases} .$$

In other words, the agents are only interested in being selected among the winners. In Section 5 we further discuss our utility model.

A *randomized k -selection mechanism* is a function $f : \mathcal{G} \rightarrow \Delta(\mathcal{S}_k)$, where $\Delta(\mathcal{S}_k)$ is the set of probability distributions over \mathcal{S}_k . Given a distribution $\mu \in \Delta(\mathcal{S}_k)$, the utility of agent $i \in N$ is

$$u_i(\mu) = \Pr_{S \sim \mu}[i \in S] .$$

We say that a k -selection mechanism is *strategyproof (SP)* if an agent cannot benefit from misreporting its edges. In our context, this means that the question of whether an agent $i \in N$ is selected among the winners is independent of the outgoing edges reported by agent i . Formally, the property is that for every $i \in N$ and every two graphs $G, G' \in \mathcal{G}$ that differ only in the outgoing edges of agent i , it holds that $u_i(G) = u_i(G')$. Note that this is equivalent to writing the last equality as an inequality. Please see Section 5 for a discussion of this definition in the context of randomized mechanisms.

A k -selection mechanism is *group strategyproof (GSP)* if a coalition of agents cannot all gain from misreporting their outgoing edges, that is, at least one member does not benefit. Formally, for every $S \subseteq N$ and every $G, G' \in \mathcal{G}$ that differ only in the outgoing edges of the agents in S , there exists $i \in S$ such that $u_i(G) \leq u_i(G')$. An alternative, stronger definition requires that some agent strictly lose as a result of the deviation. Crucially, our result with respect to group strategyproofness is an impossibility, hence using the weaker definition only strengthens the result.

Given a graph G , let $\text{indeg}(i) = \text{indeg}(i, G)$ be the indegree of agent i in G , i.e., the number of incoming edges to i . We seek mechanisms that are SP or GSP, and in addition approximate the optimization target $\sum_{i \in S} \text{indeg}(i)$, that is, we wish to maximize the sum of indegrees of the selected agents. Formally, we say that a deterministic k -selection mechanism f has an approximation ratio of α if for every graph G ,

$$\frac{\max_{S \in \mathcal{S}_k} \sum_{i \in S} \text{indeg}(i)}{\sum_{i \in f(G)} \text{indeg}(i)} \leq \alpha .$$

The approximation ratio of a randomized k -selection mechanism is defined similarly, but with $\mathbb{E}[\sum_{i \in f(G)} \text{indeg}(i)]$.

3 Deterministic Mechanisms

In this section we study deterministic k -selection mechanisms. Before stating our (impossibility) result, we discuss some special cases.

First, consider the case where $k = n$, that is, all the agents must be selected. Clearly in this case there is only one mechanism, and it is optimal.

A second special—yet more interesting—case is when $k = 1$. In this case it is easy to see that one cannot obtain a finite approximation ratio via a deterministic SP mechanism. Indeed, let $n \geq 2$,

let f be an SP deterministic mechanism, and consider a graph $G = \langle N, E \rangle$ with $E = \{\langle 1, 2 \rangle, \langle 2, 1 \rangle\}$, i.e., the only two edges are from agent 1 to agent 2 and vice versa. Without loss of generality we assume that $f(G) = \{1\}$. Now, assume that agent 2 removes its outgoing edge; formally, we consider the graph $G' = \langle N, E' \rangle$ with $E' = \{\langle 1, 2 \rangle\}$. By strategyproofness $f(G') = \{1\}$, but now agent 2 is the only agent with positive degree, hence the approximation ratio of f is infinite.

Note that in order to have a finite approximation ratio, our mechanism must satisfy the following property: if there is an edge in the graph, the mechanism must select a subset of agents with at least one incoming edge (this condition is necessary and also sufficient). The argument above shows that this property cannot be satisfied by SP mechanisms when $k = 1$, but nevertheless intuitively it should be easy to satisfy when k is very large.

Consider, for example, the case where $k = n - 1$. Put another way, the mechanism must select all the agents save one. Is it possible to design an SP mechanism with the extremely basic property that if there is only one agent with incoming edges, that agent would not be the only one *not* to be selected?

In the following theorem, we give a surprising negative answer to this question, even when we restrict our attention to graphs where each agent has at most one outgoing edge. Amusingly, a connection to the popular TV game show “Survivor” can be made; consider a slight variation where each tribe member can vote for one other trusted member, but is allowed not to cast a vote. One member must be eliminated at the tribal council, based on the votes. Then a mechanism for choosing the eliminated member cannot be strategyproof if it has the property that a member who is the only one that received votes cannot be eliminated. Put another way, lies are inherent in the game!

More generally, we prove that for *any* value of k strategyproofness and finite approximation ratio are mutually exclusive. The theorem’s proof is concise but nontrivial.

Theorem 3.1. *Let $N = \{1, \dots, n\}$, $n \geq 2$, and $k \in \{1, \dots, n - 1\}$. There is no deterministic SP k -selection mechanism that gives a finite approximation ratio.*

Proof. Assume for contradiction that $f : \mathcal{G} \rightarrow \mathcal{S}_k$ is a deterministic SP k -selection mechanism that gives a finite approximation ratio. Furthermore, let $G^* = \langle N, \emptyset \rangle$ be the empty graph. Since $k < n$, there exists $i \in N$ such that $i \notin f(G^*)$; without loss of generality $n \notin f(G^*)$.

We will restrict our attention to stars whose center is agent n , that is, graphs where the only edges are of the form $\langle i, n \rangle$ for an agent $i \in N \setminus \{n\}$. We can represent such a graph by a binary vector $\mathbf{x} = \langle x_1, \dots, x_{n-1} \rangle$, where $x_i = 1$ if and only if the edge $\langle i, 1 \rangle$ is in the graph; see Figure 1 for an illustration. In other words, we restrict the domain of f to $\{0, 1\}^{n-1}$.

We claim that $n \in f(\mathbf{x})$ for all $\mathbf{x} \in \{0, 1\}^{n-1} \setminus \{\mathbf{0}\}$. Indeed, in every such graph agent n is the only agent with incoming edges. Hence, any subset that does not include agent n has zero incoming edges, and therefore does not give a finite approximation ratio (as a subset that includes agent n has at least one incoming edge).

To summarize, f satisfies the following three constraints:

1. $n \notin f(\mathbf{0})$.
2. For all $\mathbf{x} \in \{0, 1\}^{n-1} \setminus \{\mathbf{0}\}$, $n \in f(\mathbf{x})$.
3. Strategyproofness: for all $i \in N \setminus \{n\}$ and $\mathbf{x} \in \{0, 1\}^{n-1}$, $i \in f(\mathbf{x})$ if and only if $i \in f(\mathbf{x} + e_i)$, where e_i is the i th unit vector and the addition is modulo 2.




Figure 1: Correspondence between stars and binary $(n - 1)$ -vectors, for $n = 7$.

Next, we claim that $|\{\mathbf{x} \in \{0, 1\}^{n-1} : i \in f(\mathbf{x})\}|$ is even for all $i \in N \setminus \{n\}$. This follows directly from the third constraint (strategyproofness): we can simply partition the set $\{\mathbf{x} \in \{0, 1\}^{n-1} : i \in f(\mathbf{x})\}$ into disjoint pairs of the form $\{\mathbf{x}, \mathbf{x} + e_i\}$.

Finally, we consider the expression $\sum_{\mathbf{x} \in \{0, 1\}^{n-1}} |f(\mathbf{x})|$. On one hand, we have that

$$\begin{aligned} \sum_{\mathbf{x} \in \{0, 1\}^{n-1}} |f(\mathbf{x})| &= \sum_{i \in N} |\{\mathbf{x} \in \{0, 1\}^{n-1} : i \in f(\mathbf{x})\}| \\ &= (2^{n-1} - 1) + \sum_{i \in N \setminus \{n\}} |\{\mathbf{x} \in \{0, 1\}^{n-1} : i \in f(\mathbf{x})\}| , \end{aligned} \tag{1}$$

where the second equality is obtained by separating $|\{\mathbf{x} \in \{0, 1\}^{n-1} : n \in f(\mathbf{x})\}|$ from the sum, and observing that it follows from the first two constraints that this expression equals $2^{n-1} - 1$. Since $2^{n-1} - 1$ is odd and $\sum_{i \in N \setminus \{n\}} |\{\mathbf{x} \in \{0, 1\}^{n-1} : i \in f(\mathbf{x})\}|$ is even, Equation (1) implies that $\sum_{\mathbf{x} \in \{0, 1\}^{n-1}} |f(\mathbf{x})|$ is odd.

On the other hand, it trivially holds that

$$\sum_{\mathbf{x} \in \{0, 1\}^{n-1}} |f(\mathbf{x})| = \sum_{\mathbf{x} \in \{0, 1\}^{n-1}} k = 2^{n-1} \cdot k ,$$

hence $\sum_{\mathbf{x} \in \{0, 1\}^{n-1}} |f(\mathbf{x})|$ is even. We have reached a contradiction. \square

It is interesting to note that if we slightly change the problem formulation by allowing the selection of *at most* k agents for $k \geq 2$ then it is possible to design a curious deterministic SP mechanism with a finite approximation ratio, which selects at most two agents. The reader is referred to Appendix A for more details.

4 Randomized Mechanisms

In Section 3 we have established a total impossibility result with respect to deterministic SP k -selection mechanisms. In this section we ask to what extent this result can be circumvented using randomization.

4.1 SP Randomized Mechanisms

As we move to the randomized setting, it immediately becomes apparent that Theorem 3.1 no longer applies. Indeed, a randomized SP k -selection mechanism with a finite approximation ratio




Figure 2: An example for the Random 2-Partition Mechanism, with $n = 6$ and $k = 2$. Figure 2(a) illustrates the given graph. The mechanism randomly partitions the agents into two subsets, shown in Figure 2(b), and disregards the edges inside each group. The mechanism then selects the best agent in each group based on the incoming edges from the other group; in the example, the selected subset is $\{1, 5\}$, with a sum of indegrees of four, whereas the optimal subset is $\{2, 5\}$, with a sum of indgrees of five.

is given by simply selecting k agents at random. However, this mechanism would nevertheless yield a poor approximation ratio. Can we do better?

The main result of this section is a randomized SP mechanism that yields a constant approximation ratio. More accurately, we define an infinite family of mechanisms, parameterized by a parameter $m \in \mathbb{N}$. For a fixed m , the mechanism randomly partitions the agents into m subsets. It then selects (roughly) the top k/m agents from each subset, based only on the incoming edges from agents in other subsets. Below we give a more formal specification of the mechanism; an example can be found in Figure 2.

The Random m -Partition Mechanism (m -RP)

1. Assign each agent independently and uniformly at random to one of m subsets S_1, \dots, S_m .
2. Let $T \subset \{1, \dots, m\}$ be a random subset of size $k - m \cdot \lfloor k/m \rfloor$.
3. If $t \in T$, select the $\lceil k/m \rceil$ agents from S_t with highest indegrees based only on edges from $N \setminus S_t$. If $t \notin T$, select the $\lfloor k/m \rfloor$ agents from S_t with highest indegrees based only on edges from $N \setminus S_t$. Ties are broken lexicographically. If one of the subsets S_t is smaller than the number of agents to be selected from this subset, select the entire subset.
4. If less than k agents were selected in Step 3, select the remaining winners uniformly from among the agents that were not previously selected.

Note that if $k = 1$ and $m = 2$ then we select one agent from one of the two subsets, based on the incoming edges from the other. In this case, step 2 of 2-RP is equivalent to a toss of a fair coin that determines from which of the two subsets we select an agent.

Given a partition of the agents into subsets S_1, \dots, S_m , the choice of agents that are selected from S_t is completely independent of the outgoing edges of the agents in S_t . Furthermore, the

partition is independent of the input. Therefore, m -RP is SP.³ The following theorem explicitly states the approximation guarantees provided by m -RP; the rather technical proof of the theorem is relegated to Appendix B.

Theorem 4.1. *Let $N = \{1, \dots, n\}$, $k \in \{1, \dots, n-1\}$. For every value of m , m -RP is SP. Furthermore:*

1. 2-RP has an approximation ratio of four.
2. $(\lceil k^{1/3} \rceil)$ -RP has an approximation ratio of $1 + \tilde{\mathcal{O}}(1/k^{1/3})$, where the $\tilde{\mathcal{O}}$ notation omits logarithmic factors.

Note that k , the number of agents to be selected, is not a part of the given instance, but rather is fixed in the problem definition. Hence, for every fixed value of k we can choose the best value of m when we apply m -RP. In other words, Theorem 4.1 implies that for every k there exists an SP mechanism with an approximation ratio of $\min\{4, 1 + \tilde{\mathcal{O}}(1/k^{1/3})\}$, that is, the mechanism always provides a 4-approximation, and as k grows the approximation ratio approaches one.

It follows from the theorem that, if $k = 1$, 2-RP has an approximation ratio of four; for this case m -RP with $m > 2$ has a strictly worse ratio. It is interesting to note that the analysis is tight. Indeed, consider a graph $G = \langle N, E \rangle$ with only one edge from agent 1 to agent n , that is, $E = \{\langle 1, n \rangle\}$. Assume without loss of generality that agent n is assigned to S_1 . In order for agent n to be selected, two events must occur:

1. $T = \{1\}$, that is, the winner must be selected from S_1 . This happens with probability $1/2$.
2. Either $1 \in S_2$, or $|S_1| = 1$. The probability that $1 \in S_2$ is $1/2$. The probability that $|S_1| = 1$, given that $n \in S_1$, is $1/2^{n-1}$. By the union bound, the probability of this event is at most $1/2 + 1/2^{n-1}$.

Indeed, it is clear that if the first event does not occur, n cannot be selected. If the second event does not occur, it follows that n has an indegree of zero based on the incoming edges from S_2 , and there are other alternatives in S_1 (which also have an indegree of zero). Since tie-breaking is lexicographic, agent n would not be selected. As the two events are independent, the probability of both occurring is therefore at most $1/4 + 1/2^n$. We conclude that the approximation ratio of the mechanism cannot be smaller than

$$\frac{1}{\left(\frac{1}{4} + \frac{1}{2^n}\right) \cdot 1} = 4 - \mathcal{O}\left(\frac{1}{2^n}\right) .$$

We next provide a very simple, general, but rather weak randomized lower bound for the approximation ratio yielded by SP k -selection mechanisms. Let $k \in \{1, \dots, n-1\}$, and let $f : \mathcal{G} \rightarrow \Delta(\mathcal{S}_k)$ be a randomized SP k -selection mechanism. Consider the graph $G = \langle N, E \rangle$ where

$$E = \{\langle i, i+1 \rangle : i = 1, \dots, k\} \cup \{\langle k+1, 1 \rangle\} ,$$

i.e., E is a directed cycle on the agents $1, \dots, k+1$. There exists an agent $i \in \{1, \dots, k+1\}$, without loss of generality agent 1, that is included in $f(G)$ with probability at most $k/(k+1)$. Now, consider the graph G' where $E' = E \setminus \{\langle 1, 2 \rangle\}$, that is, agent 1 removes its outgoing edge

³The mechanism is even *universally SP*, see Section 5.

to agent 2. By strategyproofness, agent 1 is included in $f(G')$ with probability at most $k/(k+1)$. Any subset $S \in \mathcal{S}_k$ such that $1 \notin S$ has at most $k-1$ incoming edges in G' . It follows that the expected number of incoming edges in $f(G')$ is at most

$$\frac{k}{k+1} \cdot k + \frac{1}{k+1} \cdot (k-1) = \frac{k^2 + k - 1}{k+1} ,$$

Hence the approximation ratio of f cannot be smaller than

$$\frac{k}{\frac{k^2+k-1}{k+1}} = 1 + \frac{1}{k^2 + k - 1} . \quad (2)$$

We have therefore proved the following easy result:

Theorem 4.2. *Let $N = \{1, \dots, n\}$, $n \geq 2$, $k \in \{1, \dots, n-1\}$. There is no randomized SP k -selection mechanism that gives an approximation ratio smaller than $1 + \Omega(1/k^2)$.*

Not surprisingly, the lower bound given by Theorem 4.2 converges to one, albeit more quickly than the upper bound yielded by Theorem 4.1. As usual, an especially interesting special case is when $k = 1$. Equation (2) gives an explicit lower bound of two for this case. On the other hand, Theorem 4.1 gives an upper bound of four. We conjecture that the “truth” is two.

Conjecture 4.3. *There exists a randomized SP 1-selection mechanism with an approximation ratio of two.*

One deceptively promising avenue for proving the conjecture is designing an iterative version of the Random Partition Mechanism. Specifically, we start with an empty subset $S \subset N$, and at each step add to S an agent from $N \setminus S$ that has minimum indegree based on the incoming edges from S , breaking ties randomly (so, in the first step we would just add to S a random agent). The last agent that remains outside S is selected. This SP mechanism does remarkably well on some difficult instances, but fails spectacularly on a contrived counterexample. We give a formal specification of this *Sliding Partition Mechanism*, and construct the illuminating counterexample, in Appendix C.

4.2 GSP Randomized Mechanisms

In the beginning of Section 4.1 we have noted that a trivial randomized SP k -selection mechanism is given by selecting a subset of k agents at random. Of course this mechanism is also GSP, since the outcome is completely independent of the reported graph.

We claim that selecting a random k -subset gives an approximation ratio of n/k . Indeed, consider an optimal subset $K^* \subseteq N$, where $|K^*| = k$. Each agent $i \in K^*$ is included in the selected subset with probability k/n , and hence in expectation contributes a (k/n) -fraction of its indegree to the expected total indegree of the selected subset. By the linearity of expectation, the expected total indegree of the selected subset is at least a (k/n) -fraction of the total indegree of K^* .

Theorem 4.1 implies that if we just ask for strategyproofness, we can do much better. On the other hand, our final result implies that, if one asks for group strategyproofness, just selecting a random subset is optimal up to a tiny gap.

Theorem 4.4. *Let $N = \{1, \dots, n\}$, $n \geq 2$, and let $k \in \{1, \dots, n-1\}$. No randomized GSP k -selection mechanism can yield an approximation ratio smaller than $(n-1)/k$.*

Proof. Let $f : \mathcal{G} \rightarrow \mathcal{S}_k$ be a randomized GSP mechanism. Given the empty graph, there are two agents $i, j \in N$ such that each is selected with probability at most $k/(n-1)$.

Consider the graph G' where $E' = \{\langle i, j \rangle, \langle j, i \rangle\}$, that is, there are only two edges in G' , from i to j and from j to i . By group strategyproofness, $f(G')$ either selects i with probability not greater than under the empty graph, or the same holds for j ; without loss of generality $f(G')$ selects i with probability at most $k/(n-1)$.

We now consider the graph G'' with $E'' = \{\langle j, i \rangle\}$. By SP, i is selected with equal probability under $f(G')$ and $f(G'')$, that is, at most $k/(n-1)$. Since i is the only agent with an incoming edge in G'' , the approximation ratio is at least $(n-1)/k$. \square

Note that the proof of Theorem 4.4 holds even if one is merely interested in coalitions of size at most two.

5 Discussion

In this section we discuss two of the issues mentioned above, and list some open problems.

The utility model. We have studied an “extreme” utility model, where an agent is only interested in the question of its own selection. The restriction of the preferences of the agents allows us to circumvent impossibility results that hold with respect to more general preferences, e.g., the Gibbard-Satterthwaite Theorem [14, 21] and its generalization to randomized rules [15].

It is possible to consider a more sensitive utility function, where an agent receives a utility of one if it is selected, plus a utility of $\beta \geq 0$ for each of its (outgoing) neighbors that is selected. In this model the social welfare (sum of utilities) of a set S of selected agents is k plus β times the total indegree of S . Hence, if $\beta > 0$, a set S maximizes the social welfare if and only if it maximizes the total indegree. In particular, if $\beta > 0$ and money is available, we can use the VCG mechanism [23, 7, 17] (see [18] for an overview) to maximize the total indegree in a truthful way.

It is easy to verify that any upper bound in the 0–1 model (with total indegree as the target function) also holds in the β –1 model (with social welfare as the target function), hence Theorem 4.1 is true in the latter model. Furthermore, in many settings (e.g., the examples of Section 1) β is, if not zero, at least very small. In such cases a variation on the random partition mechanism achieves an approximation ratio close to one for the social welfare, even when $k = 1$. Finally, note that if $\beta \geq 1$ then simply selecting the optimal solution (and breaking ties lexicographically) is SP.

Universal SP vs. SP in expectation. In the context of randomized mechanisms, two flavors of strategyproofness are usually considered. A mechanism is *universally SP* if for every fixed outcome of the random choices made by the mechanism, an agent cannot gain by lying, that is, the mechanism is a distribution over SP mechanisms. A mechanism is *SP in expectation* if an agent cannot increase its expected utility by lying. In Section 2 and thereafter we have employed the latter definition, which is clearly weaker than the former. On one hand, this strengthens our randomized SP lower bound (Theorem 4.1). On the other hand, notice that our randomized mechanisms are in fact universally SP. Indeed, for every fixed partition, selecting agents from one subset based on incoming edges from other subsets is SP. Hence, Theorem 4.1 is even stronger than originally stated.

Open problems. Our most enigmatic open problem is the gap for randomized SP 1-selection mechanisms: Theorem 4.1 gives an upper bound of four, while Theorem 4.2 gives a lower bound

of two. We conjecture that there exists a randomized SP 1-selection mechanism that gives a 2-approximation.

In addition, a potentially interesting variation of our problem can be obtained by changing the target function. One attractive option is to maximize the minimum indegree in the selected subset. Clearly our total impossibility for deterministic SP mechanisms (Theorem 3.1) carries over to this new target function. However, it is unclear what can be achieved using randomized SP mechanisms.

6 Acknowledgments

We thank Michal Feldman, Gil Kalai, Yoav Shoham, and Aviv Zohar for helpful discussions.

References

- [1] N. Alon, M. Feldman, A. D. Procaccia, and M. Tennenholtz. Strategyproof approximation mechanisms for location on networks. Manuscript, 2009.
- [2] N. Alon and M. Naor. Coin-flipping games immune against linear-sized coalitions. *SIAM Journal on Computing*, 22:403–417, 1993.
- [3] N. Alon and J. H. Spencer. *The Probabilistic Method*. Wiley, 2nd edition, 2000.
- [4] A. Altman and M. Tennenholtz. Strategyproof deterministic lotteries under broadcast communication. In *Proceedings of the 7th International Joint Conference on Autonomous Agents and Multi-Agent Systems (AAMAS)*, pages 1549–1552, 2008.
- [5] S. Antonakopoulos. Fast leader-election protocols with bounded cheaters’ edge. In *Proceedings of the 38th Annual ACM Symposium on the Theory of Computing (STOC)*, pages 187–196, 2006.
- [6] S. J. Brams and P. C. Fishburn. *Approval Voting*. Springer, 2nd edition, 2007.
- [7] E. H. Clarke. Multipart pricing of public goods. *Public Choice*, 11:17–33, 1971.
- [8] J. Cooper and N. Linial. Fast perfect-information leader-election protocols with linear immunity. *Combinatorica*, 15:319–332, 1995.
- [9] O. Dekel, F. Fischer, and A. D. Procaccia. Incentive compatible regression learning. In *Proceedings of the 19th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pages 277–286, 2008.
- [10] S. Dobzinski, N. Nisan, and M. Schapira. Truthful randomized mechanisms for combinatorial auctions. In *Proceedings of the 38th Annual ACM Symposium on the Theory of Computing (STOC)*, pages 644–652, 2006.
- [11] U. Feige. Noncryptographic selection protocols. In *Proceedings of the 40th Symposium on Foundations of Computer Science (FOCS)*, pages 142–152, 1999.

- [12] U. Feige, A. Flaxman, J. D. Hartline, and R. Kleinberg. On the competitive ratio of the random sampling auction. In *Proceedings of the 1st International Workshop on Internet and Network Economics (WINE)*, pages 878–886, 2005.
- [13] A. Fiat, A. V. Goldberg, J. D. Hartline, and A. R. Karlin. Competitive generalized auctions. In *Proceedings of the 34th Annual ACM Symposium on the Theory of Computing (STOC)*, pages 72–81, 2002.
- [14] A. Gibbard. Manipulation of voting schemes. *Econometrica*, 41:587–602, 1973.
- [15] A. Gibbard. Manipulation of schemes that mix voting with chance. *Econometrica*, 45:665–681, 1977.
- [16] A. V. Goldberg, J. D. Hartline, A. R. Karlin, M. Saks, and A. Wright. Competitive auctions. *Games and Economic Behavior*, 55:242–269, 2006.
- [17] T. Groves. Incentives in teams. *Econometrica*, 41:617–631, 1973.
- [18] N. Nisan. Introduction to mechanism design (for computer scientists). In N. Nisan, T. Roughgarden, É. Tardos, and V. Vazirani, editors, *Algorithmic Game Theory*, chapter 9. Cambridge University Press, 2007.
- [19] N. Nisan and A. Ronen. Algorithmic mechanism design. *Games and Economic Behavior*, 35(1–2):166–196, 2001.
- [20] A. D. Procaccia and M. Tennenholtz. Approximate mechanism design without money. In *Proceedings of the 10th ACM Conference on Electronic Commerce (ACM-EC)*, 2009. To appear.
- [21] M. Satterthwaite. Strategy-proofness and Arrow’s conditions: Existence and correspondence theorems for voting procedures and social welfare functions. *Journal of Economic Theory*, 10:187–217, 1975.
- [22] J. Schummer and R. V. Vohra. Mechanism design without money. In N. Nisan, T. Roughgarden, É. Tardos, and V. Vazirani, editors, *Algorithmic Game Theory*, chapter 10. Cambridge University Press, 2007.
- [23] W. Vickrey. Counter speculation, auctions, and competitive sealed tenders. *Journal of Finance*, 16(1):8–37, 1961.

A The Edge Scan Mechanism

In Theorem 3.1 we have seen that a deterministic SP k -selection mechanism cannot give a bounded approximation ratio. In this appendix we show that if we are allowed to choose *at most* k agents, and $k \geq 2$, then it is possible to design an SP mechanism with a bounded approximation ratio. As noted in Section 3, it is sufficient to select a subset with an incoming edge, if one exists.

Intuitively, the mechanism, which we refer to as the *Edge Scan Mechanism*, first orders the agents lexicographically. The mechanism scans the agents from left to right, until it finds an outgoing edge directed to the right; it selects the agent the edge is pointing at. Then, the mechanism scans the agents from right to left until it finds an edge that is directed to the left, and selects the




Figure 3: An example for the Edge Scan Mechanism. Given this graph, the mechanism would select agent 4 in the scan from left to right, and agent 3 in the scan from right to left, so the subset of agents selected by the mechanism is $\{3, 4\}$.

agent that this edge is pointing at as well; see Figure 3 for an example. What follows is a more formal specification of the mechanism.

The Edge Scan Mechanism.

1. Partition E into $E_1 = \{\langle i, j \rangle \in E : i < j\}$ and $E_2 = \{\langle i, j \rangle \in E : i > j\}$.
2. If $E_1 \neq \emptyset$, let $i \in N$ be the minimum index such that there exists $j \in N$ with $\langle i, j \rangle \in E_1$; add to the subset the minimum j such that $\langle i, j \rangle \in E_1$. Otherwise, add agent n to the subset.
3. If $E_2 \neq \emptyset$, let $i \in N$ be the maximum index such that there exists $j \in N$ with $\langle i, j \rangle \in E_2$; add to the subset the maximum j such that $\langle i, j \rangle \in E_2$. Otherwise, add agent 1 to the subset.

The Edge Scan Mechanism is clearly SP. Indeed, agent i cannot benefit from adding outgoing edges, since these edges would only point at some other agent; agent i also cannot benefit from removing outgoing edges, since, informally, if the mechanism reaches the point in the scan (from left to right or right to left) where the agent's vote is taken into account, then it is too late for agent i itself to be elected.

Moreover, if there is at least one edge in the graph, the Edge Scan Mechanism will select an agent with an incoming edge as this edge is either directed from left to right or from right to left. Therefore, the mechanism has a finite approximation ratio (although it can be as bad as $\Omega(nk)$).

Crucially, the agents selected in both steps of the mechanism can be one and the same; in this case the mechanism would return a singleton subset. One of the strange implications of Theorem 3.1 is that such a selection cannot even be deterministically completed to obtain a subset of size two in a strategyproof way.

B Proof of Theorem 4.1

For part 1, consider an optimal set of k agents (which might not be unique), and denote it by $K^* \subseteq N$. Let OPT be the sum of the indegrees of the agents in K^* , that is,

$$\text{OPT} = \sum_{i \in K^*} \text{indeg}(i) .$$

We wish to show that the mechanism selects a k -subset with $\text{OPT}/4$ incoming edges in expectation.

Consider some partition Π of the agents into two subsets S_1 and S_2 . In particular, let K^* be partitioned into $K_1^* \subseteq S_1$ and $K_2^* \subseteq S_2$, and assume without loss of generality that $|K_1^*| \geq |K_2^*|$. Denote by d_1 the number of edges from S_2 to K_1^* , that is,

$$d_1 = |\{\langle i, j \rangle \in E : i \in S_2 \wedge j \in K_1^*\}| ,$$




Figure 4: An illustration of the proof of Theorem 4.1, for $n = 8$ and $k = 4$. In the given graph G , the optimal subset is $K^* = \{1, 2, 3, 4\}$. N is partitioned into $S_1 = \{1, 2, 5, 6\}$ and $S_2 = \{3, 4, 7, 8\}$, which partitions K^* into $K_1^* = \{1, 2\}$ and $K_2^* = \{3, 4\}$. We have that $d_1 = d_2 = 1$.

and similarly

$$d_2 = |\{(i, j) \in E : i \in S_1 \wedge j \in K_2^*\}| .$$

See Figure 4 for an illustration.

Note that step 2 of the 2-RP mechanism is equivalent to flipping a fair coin to determine whether we select $\lceil k/2 \rceil$ agents from S_1 and $\lfloor k/2 \rfloor$ agents from S_2 (when $T = \{1\}$), or vice versa (when $T = \{2\}$). Now, since $|K_2^*| \leq \lfloor k/2 \rfloor$ (by our assumption that $|K_1^*| \geq |K_2^*|$), it follows that the subset of S_2 selected by the mechanism has at least d_2 incoming edges, regardless of whether $T = \{1\}$ or $T = \{2\}$, and even if $|S_2| < \lfloor k/2 \rfloor$. Moreover, since $|K_1^*| \leq |K^*| = k$ it holds that the subset of S_1 selected by the mechanism has at least $\frac{\lceil k/2 \rceil}{k} \cdot d_1$ incoming edges if $T = \{1\}$ and at least $\frac{\lfloor k/2 \rfloor}{k} \cdot d_1$ if $T = \{2\}$. Therefore, we have that

$$\begin{aligned} \mathbb{E} [\text{MECH} \mid \Pi] &= \mathbb{E} [\text{MECH} \mid \Pi \wedge T = \{1\}] \cdot \frac{1}{2} + \mathbb{E} [\text{MECH} \mid \Pi \wedge T = \{2\}] \cdot \frac{1}{2} \\ &\geq \left(\frac{\lceil k/2 \rceil}{k} \cdot d_1 + d_2 \right) \cdot \frac{1}{2} + \left(\frac{\lfloor k/2 \rfloor}{k} \cdot d_1 + d_2 \right) \cdot \frac{1}{2} \\ &= \frac{d_1}{2} + d_2 \geq \frac{d_1 + d_2}{2} . \end{aligned} \quad (3)$$

For a random partition of the agents into S_1 and S_2 , each edge has probability $1/2$ of being an edge between the two subsets, and probability $1/2$ of being inside one of the subsets. Hence, by linearity of expectation, the expected number of edges incoming to K^* that are between the two subsets is $\text{OPT}/2$. Formally, for a partition Π , let S_1^Π and S_2^Π be the two subsets of agents, and let

$$d^\Pi = |\{(i, j) \in E : (i \in S_1^\Pi \wedge j \in S_2^\Pi \cap K^*) \vee (i \in S_2^\Pi \wedge j \in S_1^\Pi \cap K^*)\}| .$$

Then it holds that

$$\sum_{\Pi} \Pr [\Pi] \cdot d^\Pi = \frac{\text{OPT}}{2} . \quad (4)$$

We can now conclude that

$$\mathbb{E} [\text{MECH}] = \sum_{\Pi} \mathbb{E} [\text{MECH} \mid \Pi] \cdot \Pr [\Pi] \geq \sum_{\Pi} \Pr [\Pi] \cdot \frac{d^\Pi}{2} = \frac{\text{OPT}}{4} ,$$

where the second transition follows from Equation (3) and the third transition follows from Equation (4).

We now turn to proving part 2 of the theorem. For ease of exposition, we will omit the various floors and ceilings from the proof, as we are looking for an asymptotic result.

In this part we employ one additional idea: if k is large enough, the random partition into $k^{1/3}$ subsets is relatively balanced. Formally, we say that a partition Π is *balanced* if for all $t = 1, \dots, k^{1/3}$,

$$|S_t| - k^{2/3} < 2k^{1/3} \sqrt{\log k} ,$$

and that it is *unbalanced* otherwise. In order to bound the probability that a random partition is balanced, we use the following version of the Chernoff bounds, which can be found, e.g., in [3, Theorem A.1.11].

Theorem B.1. *Let X_1, \dots, X_k be i.i.d. Bernoulli trials, $\Pr[X_i = 1] = p$ for $i = 1, \dots, k$, and denote $X = \sum_{i=1}^k X_i$. In addition, let $\lambda > 0$. Then*

$$\Pr[X - kp \geq \lambda] \leq \exp\left(-\frac{\lambda^2}{2kp} + \frac{\lambda^3}{2(kp)^2}\right) .$$

Using Theorem B.1 with $\lambda = 2k^{1/3} \sqrt{\log k}$ and $p = 1/k^{1/3}$ we get

$$\Pr[\Pi \text{ unbalanced}] \leq \exp\left(-\frac{4k^{2/3} \log k}{2k^{2/3}} + \frac{8k(\log k)^{3/2}}{2k^{4/3}}\right) \leq \exp(-\log k) \leq \frac{1}{k} , \quad (5)$$

where the second inequality holds for a large enough k .

Let Π be a balanced partition, and as before let d^Π be the number of edges between the subsets incoming to the optimal set K^* . Using similar arguments to those employed to obtain Equation (3), we get

$$\begin{aligned} \mathbb{E}[\text{MECH} \mid \Pi] &\geq \frac{k^{2/3}}{k^{2/3} + 2k^{1/3} \sqrt{\log k}} \cdot d^\Pi = \left(1 - \frac{2k^{1/3} \sqrt{\log k}}{k^{2/3} + 2k^{1/3} \sqrt{\log k}}\right) \cdot d^\Pi \\ &\geq \left(1 - \frac{2\sqrt{\log k}}{k^{1/3}}\right) \cdot d^\Pi . \end{aligned} \quad (6)$$

We now select a random partition according to step 1 of the $(k^{1/3})$ -RP mechanism. The expected number of incoming edges to an agent that are between the subsets is a $\frac{k^{1/3}-1}{k^{1/3}}$ -fraction of its indegree. By the linearity of expectation, we get that

$$\sum_{\Pi} \Pr[\Pi] \cdot d^\Pi = \frac{k^{1/3}-1}{k^{1/3}} \cdot \text{OPT} .$$

This can be rewritten as

$$\sum_{\Pi \text{ balanced}} \Pr[\Pi] \cdot d^\Pi + \sum_{\Pi \text{ unbalanced}} \Pr[\Pi] \cdot d^\Pi = \frac{k^{1/3}-1}{k^{1/3}} \cdot \text{OPT} .$$

Furthermore, Equation (5) can be rewritten as

$$\sum_{\Pi \text{ unbalanced}} \Pr[\Pi] \leq \frac{1}{k} .$$

Since $d^\Pi \leq \text{OPT}$ for any partition Π , we get

$$\begin{aligned} \sum_{\Pi \text{ balanced}} \Pr[\Pi] d^\Pi &= \frac{k^{1/3} - 1}{k^{1/3}} \cdot \text{OPT} - \sum_{\Pi \text{ unbalanced}} \Pr[\Pi] d^\Pi \geq \left(\frac{k^{1/3} - 1}{k^{1/3}} \cdot \text{OPT} - \frac{1}{k} \right) \cdot \text{OPT} \\ &\geq \frac{k^{1/3} - 2}{k^{1/3}} \cdot \text{OPT} . \end{aligned}$$

Finally, we conclude that

$$\begin{aligned} \mathbb{E}[\text{MECH}] &= \sum_{\pi \text{ balanced}} \mathbb{E}[\text{MECH} \mid \Pi] \cdot \Pr[\Pi] + \sum_{\pi \text{ unbalanced}} \mathbb{E}[\text{MECH} \mid \Pi] \cdot \Pr[\Pi] \\ &\geq \sum_{\pi \text{ balanced}} \mathbb{E}[\text{MECH} \mid \Pi] \cdot \Pr[\Pi] \geq \sum_{\pi \text{ balanced}} \Pr[\Pi] \left(1 - \frac{2\sqrt{\log k}}{k^{1/3}} \right) \cdot d^\Pi \\ &\geq \left(1 - \frac{2\sqrt{\log k}}{k^{1/3}} \right) \cdot \frac{k^{1/3} - 2}{k^{1/3}} \cdot \text{OPT} = \left(1 - \tilde{\mathcal{O}}\left(\frac{1}{k^{1/3}}\right) \right) \cdot \text{OPT} . \end{aligned}$$

□

It is possible to omit the logarithmic factor from the second part of the theorem, that is, replace the ratio of $1 + \tilde{\mathcal{O}}(1/k^{1/3})$ with a ratio of $1 + \mathcal{O}(1/k^{1/3})$, by using significantly more detailed probabilistic arguments.

C The Sliding Partition Mechanism

We first give a formal specification of the Sliding Partition Mechanism, informally presented in Section 4.

The Sliding Partition Mechanism.

1. Let $S = \emptyset$.
2. While $|S| < n - 1$, choose $i \notin S$ that has minimum indegree based on incoming edges from agents in S , breaking ties randomly. Let $S = S \cup \{i\}$.
3. Select the agent in $N \setminus S$.

When an agent is added to S , we say that it is *eliminated*. It is easy to see that this mechanism is SP. Indeed, only the outgoing edges of the eliminated agents are taken into account at any stage. Once an agent is eliminated, it no longer has a chance to be selected, therefore it is indifferent to the outcome of the mechanism.

Another interesting observation is that the Sliding Partition Mechanism gives a 2-approximation on the example where the analysis of the 2-RP mechanism is tight: a graph with only one edge. Indeed, if G has one edge $\langle i, j \rangle$, then j is certainly elected once i is eliminated (since then it is the only agent in $N \setminus S$ with an incoming edge from S), and i is eliminated before j with probability $1/2$.

Unfortunately, it is possible to construct an example where the mechanism does very poorly. Indeed, we consider a tree with agent 1 at the root. There is a set $T \subset N$ of size $n^{3/5}$ of agents

with outgoing edges to 1, that is, $\text{indeg}(1) = n^{3/5}$. In addition, each agent in T has $n^{2/5}$ incoming edges from agents in $N \setminus (\{1\} \cup T)$. The agents in $N \setminus (\{1\} \cup T)$ have an indegree of zero.

Notice that while there are agents in $N \setminus S$ that have no incoming edges from S , the mechanism randomly selects one of these agents to be eliminated. We consider the first stage t_0 when all the agents in T that were not yet eliminated have at least one incoming edge from S ; we can assume without loss of generality that at this stage agent 1 has not been eliminated. We claim that if at stage t_0 less than $n^{2/5}$ agents from T were eliminated, then agent 1 will be eliminated later on. Indeed, there is a phase that starts at t_0 when all the surviving agents in $N \setminus (\{1\} \cup T)$ are eliminated (in random order), as they have degree zero and the other surviving agents have at least one incoming edge from S . After all the agents of $N \setminus (\{1\} \cup T)$ have been eliminated, each surviving agent of T has $n^{2/5}$ incoming edges from S , whereas agent 1 has less, therefore agent 1 is the next to be eliminated.

We now claim that with high probability agent 1 has less than $n^{2/5}$ incoming edges from S at time t_0 . Each agent $i \in T$ contributes an edge to 1 at time t_0 if and only if it is eliminated before any of the agents in its incoming neighborhood; this happens with probability roughly $1/n^{2/5}$. Therefore, by the linearity of expectation the expected number of edges to agent 1 at time t_0 is roughly only $n^{1/5}$. The claim now follows directly from Chernoff's inequality.

We conclude that the approximation ratio yielded by the mechanism cannot be smaller than $\Omega(n^{1/5})$. Clearly by optimizing the parameters of the example it is possible to obtain an even stronger lower bound.