



Microsoft PKI Services

Certification Practice Statement (CPS)

Version 3.1.3
August 5, 2019

Table of Contents

1. INTRODUCTION.....	9
1.1 OVERVIEW	9
1.2 DOCUMENT NAME AND IDENTIFICATION.....	11
1.2.1 Revisions	11
1.2.2 Relevant Dates	12
1.3 PKI PARTICIPANTS.....	12
1.3.1 Certification Authorities.....	12
1.3.2 Registration Authorities	13
1.3.3 Subscribers	13
1.3.4 Relying Parties	13
1.3.5 Other Participants.....	14
1.4 CERTIFICATE USAGE	14
1.4.1 Appropriate Certificate Uses	14
1.4.2 Prohibited Certificate Uses	14
1.5 POLICY ADMINISTRATION.....	14
1.5.1 Organization Administering the Document.....	14
1.5.2 Contact Person	14
1.5.3 Person Determining CPS Suitability for the Policy	15
1.5.4 CPS Approval Procedures.....	15
1.6 DEFINITIONS AND ACRONYMS	15
1.6.1 Definitions	15
1.6.2 Acronyms	20
1.6.3 References	22
1.6.4 Conventions	22
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES	22
2.1 REPOSITORIES.....	22
2.2 PUBLICATION OF INFORMATION	23
2.3 TIME OR FREQUENCY OF PUBLICATION	23
2.4 ACCESS CONTROLS ON REPOSITORIES.....	23
3. IDENTIFICATION AND AUTHENTICATION	23
3.1 NAMING.....	23
3.1.1 Type of Names	23
3.1.2 Need for Names to be Meaningful	24
3.1.3 Anonymity or Pseudonymity of Subscribers	24
3.1.4 Rules for Interpreting Various Name Forms	24
3.1.5 Uniqueness of Names	24
3.1.6 Recognition, Authentication, and Role of Trademarks	24
3.2 INITIAL IDENTITY VALIDATION	24

3.2.1 Method to Prove Possession of Private Key	24
3.2.2 Authentication of Organization and Domain Identity	24
3.2.3 Authentication of Individual Identity	27
3.2.4 Non-Verified Subscriber Information	27
3.2.5 Validation of Authority	27
3.2.6 Criteria for Interoperation or Certification	28
3.3 IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS	28
3.3.1 Identification and Authentication for Routine Re-Key	28
3.3.2 Identification and Authentication for Re-Key After Revocation	28
3.4 IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUEST	28
4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS	28
4.1 CERTIFICATE APPLICATION	28
4.1.1 Who Can Submit a Certificate Application	28
4.1.2 Enrollment Process and Responsibilities	29
4.2 CERTIFICATE APPLICATION PROCESSING	29
4.2.1 Performing Identification and Authentication Functions	29
4.2.2 Approval or Rejection of Certificate Applications	29
4.2.3 Time to Process Certificate Applications	30
4.2.4 Verification of CAA Records	30
4.3 CERTIFICATE ISSUANCE	30
4.3.1 CA Actions During Certificate Issuance	30
4.3.2 Notification of Certificate Issuance	30
4.4 CERTIFICATE ACCEPTANCE	30
4.4.1 Conduct Constituting Certificate Acceptance	30
4.4.2 Publication of the Certificate by the CA	30
4.4.3 Notification of Certificate Issuance by the CA to Other Entities	30
4.5 KEY PAIR AND CERTIFICATE USAGE	31
4.5.1 Subscriber Private Key and Certificate Usage	31
4.5.2 Relying Party Public Key and Certificate Usage	31
4.6 CERTIFICATE RENEWAL	31
4.6.1 Circumstance for Certificate Renewal	31
4.6.2 Who May Request Renewal	31
4.6.3 Processing Certificate Renewal Requests	31
4.6.4 Notification of New Certificate Issuance to Subscriber	31
4.6.5 Conduct Constituting Acceptance of Renewal Certificate	32
4.6.6 Publication of the Renewal Certificate by the CA	32
4.6.7 Notification of Certificate Issuance by the CA to Other Entities	32
4.7 CERTIFICATE RE-KEY	32
4.7.1 Circumstance for Certificate Re-Key	32
4.7.2 Who May Request Certification of a New Public Key	32
4.7.3 Processing Certificate Re-Key Requests	32
4.7.4 Notification of New Certificate Issuance to Subscriber	32
4.7.5 Conduct Constituting Acceptance of a Re-keyed Certificate	32

4.7.6 Publication of the Re-keyed Certificate by the CA	32
4.7.7 Notification of Certificate Issuance by the CA to Other Entities	32
4.8 CERTIFICATE MODIFICATION.....	32
4.8.1 Circumstance for Certificate Modification.....	33
4.8.2 Who May Request Certificate Modification.....	33
4.8.3 Processing Certificate Modification Requests	33
4.8.4 Notification of New Certificate Issuance to Subscriber.....	33
4.8.5 Conduct Constituting Acceptance of Modified Certificate	33
4.8.6 Publication of the Modified Certificate by the CA.....	33
4.8.7 Notification of Certificate Issuance by the CA to Other Entities	33
4.9 CERTIFICATE REVOCATION AND SUSPENSION.....	33
4.9.1 Circumstances for Revocation	33
4.9.2 Who Can Request Revocation	34
4.9.3 Procedure for Revocation Request	34
4.9.4 Revocation Request Grace Period	35
4.9.5 Time Within Which CA Must Process the Revocation Request.....	35
4.9.6 Revocation Checking Requirement for Relying Parties.....	35
4.9.7 CRL Issuance Frequency	35
4.9.8 Maximum Latency for CRLs	35
4.9.9 On-Line Revocation/Status Checking Availability	36
4.9.10 On-Line Revocation Checking Requirements.....	36
4.9.11 Other Forms of Revocation Advertisements Available	36
4.9.12 Special Requirements Related to Key Compromise	36
4.9.13 Circumstances for Suspension	36
4.9.14 Who Can Request Suspension	36
4.9.15 Procedure for Suspension Request	36
4.9.16 Limits on Suspension Period.....	36
4.10 CERTIFICATE STATUS SERVICES	37
4.10.1 Operational Characteristics	37
4.10.2 Service Availability	37
4.10.3 Optional Features.....	37
4.11 END OF SUBSCRIPTION.....	37
4.12 KEY ESCROW AND RECOVERY	37
4.12.1 Key Escrow and Recovery Policy and Practices	37
4.12.2 Session Key Encapsulation and Recovery Policy and Practices	37
5. MANAGEMENT, OPERATIONAL, AND PHYSICAL CONTROLS	37
5.1 PHYSICAL SECURITY CONTROLS.....	38
5.1.1 Site Location and Construction	38
5.1.2 Physical Access	38
5.1.3 Power and Air Conditioning	38
5.1.4 Water Exposures.....	38
5.1.5 Fire Prevention and Protection.....	38
5.1.6 Media Storage.....	38

5.1.7 Waste Disposal	39
5.1.8 Off-Site Backup	39
5.2 PROCEDURAL CONTROLS	39
5.2.1 Trusted Roles	39
5.2.2 Number of Individuals Required per Task	39
5.2.3 Identification and Authentication for Trusted Roles	39
5.2.4 Roles Requiring Separation of Duties	39
5.3 PERSONNEL CONTROLS	40
5.3.1 Qualifications, Experience, and Clearance Requirements	40
5.3.2 Background Check Procedures	40
5.3.3 Training Requirements and Procedures	40
5.3.4 Retraining Frequency and Requirements	40
5.3.5 Job Rotation Frequency and Sequence	40
5.3.6 Sanctions for Unauthorized Actions	40
5.3.7 Independent Contractor Controls	40
5.3.8 Documentation Supplied to Personnel	41
5.4 AUDIT LOGGING PROCEDURES	41
5.4.1 Types of Events Recorded	41
5.4.2 Frequency for Processing and Archiving Audit Logs	41
5.4.3 Retention Period for Audit Logs	42
5.4.4 Protection of Audit Log	42
5.4.5 Audit Log Backup Procedures	42
5.4.6 Audit Log Accumulation System (Internal vs. External)	42
5.4.7 Notification to Event-Causing Subject	42
5.4.8 Vulnerability Assessments	42
5.5 RECORDS ARCHIVAL	42
5.5.1 Types of Records Archived	42
5.5.2 Retention Period for Archive	42
5.5.3 Protection of Archive	43
5.5.4 Archive Backup Procedures	43
5.5.5 Requirements for Time-Stamping of Records	43
5.5.6 Archive Collection System (Internal or External)	43
5.5.7 Procedures to Obtain and Verify Archive Information	43
5.6 KEY CHANGEOVER	43
5.7 COMPROMISE AND DISASTER RECOVERY	43
5.7.1 Incident and Compromise Handling Procedures	43
5.7.2 Recovery Procedures if Computing Resources, Software, and/or Data Are Corrupted ...	43
5.7.3 Recovery Procedures After Key Compromise	43
5.7.4 Business Continuity Capabilities After a Disaster	44
5.8 CA OR RA TERMINATION	44
6. TECHNICAL SECURITY CONTROLS	44
6.1 KEY PAIR GENERATION AND INSTALLATION	44
6.1.1 Key Pair Generation	44

6.1.2 Private Key Delivery to Subscriber	44
6.1.3 Public Key Delivery to Certificate Issuer.....	44
6.1.4 CA Public Key Delivery to Relying Parties	45
6.1.5 Key Sizes	45
6.1.6 Public Key Parameter Generation and Quality Checking.....	45
6.1.7 Key Usage Purposes.....	45
6.2 PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE	
ENGINEERING CONTROLS	45
6.2.1 Cryptographic Module Standards and Controls	46
6.2.2 Private Key (m out of n) Multi-Person Control	46
6.2.3 Private Key Escrow.....	46
6.2.4 Private Key Backup	46
6.2.5 Private Key Archival	46
6.2.6 Private Key Transfer into or from a Cryptographic Module	46
6.2.7 Private Key Storage on Cryptographic Module.....	46
6.2.8 Activating Private Keys.....	46
6.2.9 Deactivating Private Keys	46
6.2.10 Destroying Private Keys	46
6.2.11 Cryptographic Module Capabilities.....	46
6.3 OTHER ASPECTS OF KEY PAIR MANAGEMENT	47
6.3.1 Public Key Archival.....	47
6.3.2 Certificate Operational Periods and Key Pair Usage Periods	47
6.4 ACTIVATION DATA	47
6.4.1 Activation Data Generation and Installation	47
6.4.2 Activation Data Protection.....	47
6.4.3 Other Aspects of Activation Data.....	47
6.5 COMPUTER SECURITY CONTROLS	47
6.5.1 Specific Computer Security Technical Requirements	47
6.5.2 Computer Security Rating	47
6.6 LIFE CYCLE TECHNICAL CONTROLS.....	48
6.6.1 System Development Controls	48
6.6.2 Security Management Controls.....	48
6.6.3 Life Cycle Security Controls	48
6.7 NETWORK SECURITY CONTROLS	48
6.8 TIME-STAMPING	48
7. CERTIFICATE, CRL, AND OCSP PROFILES.....	48
7.1 CERTIFICATE PROFILE	48
7.1.1 Version Number(s).....	48
7.1.2 Certificate Content and Extensions; Application of RFC 5280	48
7.1.3 Algorithm Object Identifiers.....	49
7.1.4 Name Forms	49
7.1.5 Name Constraints.....	50
7.1.6 Certificate Policy Object Identifier	50

7.1.7 Usage of Policy Constraints Extension.....	51
7.1.8 Policy Qualifiers Syntax and Semantics.....	51
7.1.9 Processing Semantics for the Critical Certificate Policies Extension.....	51
7.2 CRL PROFILE.....	51
7.2.1 Version Number(s).....	51
7.2.2 CRL and CRL Entry Extensions.....	51
7.3 OCSP PROFILE	51
7.3.1 Version Number(s).....	51
7.3.2 OCSP Extensions	51
8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS.....	51
8.1 FREQUENCY OR CIRCUMSTANCES OF ASSESSMENT	51
8.2 IDENTITY/QUALIFICATIONS OF ASSESSOR.....	52
8.3 ASSESSOR'S RELATIONSHIP TO ASSESSED ENTITY	52
8.4 TOPICS COVERED BY ASSESSMENT.....	52
8.5 ACTIONS TAKEN AS A RESULT OF DEFICIENCY	52
8.6 COMMUNICATION OF RESULTS	52
8.7 SELF-AUDITS	52
9. OTHER BUSINESS AND LEGAL MATTERS	52
9.1 FEES.....	52
9.1.1 Certificate Issuance or Renewal Fees.....	52
9.1.2 Certificate Access Fees.....	53
9.1.3 Revocation or Status Information Access Fees	53
9.1.4 Fees for Other Services.....	53
9.1.5 Refund Policy	53
9.2 FINANCIAL RESPONSIBILITY	53
9.2.1 Insurance Coverage	53
9.2.2 Other Assets.....	53
9.2.3 Insurance or Warranty Coverage for End-Entities.....	53
9.3 CONFIDENTIALITY OF BUSINESS INFORMATION.....	53
9.3.1 Scope of Confidential Information	53
9.3.2 Information Not Within the Scope of Confidential Information.....	54
9.3.3 Responsibility to Protect Confidential Information.....	54
9.4 PRIVACY OF PERSONAL INFORMATION	54
9.4.1 Privacy Plan.....	54
9.4.2 Information Treated as Private	54
9.4.3 Information Not Deemed Private	54
9.4.4 Responsibility to Protect Private Information	54
9.4.5 Notice and Consent to Use Private Information.....	54
9.4.6 Disclosure Pursuant to Judicial or Administrative Process	55
9.4.7 Other Information Disclosure Circumstances.....	55
9.5 INTELLECTUAL PROPERTY RIGHTS	55
9.6 REPRESENTATIONS AND WARRANTIES	55

9.6.1 CA Representations and Warranties	55
9.6.2 RA Representations and Warranties	55
9.6.3 Subscriber Representations and Warranties	55
9.6.4 Relying Party Representations and Warranties	55
9.6.5 Representations and Warranties of Other Participants	56
9.7 DISCLAIMERS OF WARRANTIES	56
9.8 LIMITATIONS OF LIABILITY	56
9.9 INDEMNITIES	57
9.9.1 Indemnification by CAs	57
9.9.2 Indemnification by Subscribers	57
9.9.3 Indemnification by Relying Parties	57
9.10 TERM AND TERMINATION	57
9.10.1 Term	57
9.10.2 Termination	58
9.10.3 Effect of Termination and Survival	58
9.11 INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS ..	58
9.12 AMENDMENTS	58
9.12.1 Procedure for Amendment	58
9.12.2 Notification Mechanism and Period	58
9.12.3 Circumstances under which OID must be changed	58
9.13 DISPUTE RESOLUTION PROVISIONS	58
9.14 GOVERNING LAW	58
9.15 COMPLIANCE WITH APPLICABLE LAW	59
9.16 MISCELLANEOUS PROVISIONS	59
9.16.1 Entire Agreement	59
9.16.2 Assignment	59
9.16.3 Severability	59
9.16.4 Enforcement (attorneys' fees and waiver of rights)	59
9.16.5 Force Majeure	59
9.17 OTHER PROVISIONS	59

1. INTRODUCTION

1.1 OVERVIEW

This document is the Certification Practice Statement (CPS) that defines the procedural and operational requirements governing the lifecycle management of Microsoft PKI Services' Certification Authority (CA) solutions and services for affiliated entities, Applicants, Subscribers, and Relying Parties. Microsoft PKI Services requires entities to adhere to this CPS when issuing and managing digital certificates within Microsoft PKI Services PKI hierarchy. This may include services managed by Microsoft PKI Services as well as other groups within Microsoft responsible for managing trusted and untrusted CAs. Each PKI service is required to have an associated Certification Practice Statement (CPS) that adheres to the presiding CP.

Microsoft PKI Services has two CPS documents to differentiate its internal (not publicly trusted) from its external (publicly trusted) CA operations, as they are regulated by separate compliance authorities and/or levels. This CPS is for the external (publicly trusted) CA operations.

Other important documents that accompany this CPS include the CP and associated Subscriber and Relying Party Agreements. Microsoft may publish additional Certificate Policies or Certification Practice Statements, as necessary, to describe other products or service offerings.

This CPS conforms to the Internet Engineering Task Force (IETF) RFC 3647 standards for the creation of Certificate Policy (CP) and Certification Practices Statement (CPS) documents and complies with the current Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates ("Baseline Requirements"), and the Guidelines For The Issuance And Management Of Extended Validation Certificates ("EV Guidelines") from the Certificate Authority and Browser Forum (CAB Forum) at <http://www.cabforum.org>.

In the event of an inconsistency between this document and the governing industry requirements, those requirements take precedence.

This CPS specifically governs the following Root and Subordinate CAs:

Root CAs	Root CA Serial Numbers	Issue Date	Expiration Date	SHA2 Thumbprint
Microsoft EV RSA Root Certificate Authority 2017	19fceb6df7cf57844184bdd9e0228e98	7/26/2017	7/26/2042	dfb3c314740596ad5fb97960ef62ad7c1fccccead16e74054652d1032e6f140ef
Microsoft EV ECC Root Certificate Authority 2017	3fdccc3b5bdcd29844cadf59d1d2eb1c	7/26/2017	7/26/2042	6aea30bc02ca85afcfc2f65f0881893c926925fd0704bd8ada3f0f6eddb699
Microsoft RSA Root Certificate Authority 2017	29c87039f4dbfdb94dbcd6ca792836b	7/26/2017	7/26/2042	ecdd47b5acbfa328211e1bff54adeac95e6991e3c1d50e27b527e903208040a1
Microsoft ECC Root Certificate Authority 2017	71767e8d58e4fc9649c63efbcf3abda7	7/26/2017	7/26/2042	fea1884ab3aea6d0dbedbe4b9cd9fec8655116300a86a856488fc488bb4b44d2
Issuing and Intermediate CAs	Issuing and Intermediate CAs Serial Numbers	Issue Date	Expiration Date	SHA2 Thumbprint

Microsoft PKI Services Certification Practice Statement (CPS) v3.1.3

Microsoft EV Server PCA 2018	3300000053A9F0C06FAE17F7B0000000005	2/28/2018	2/28/2033	2164a69e46106175459f1ccc8257157b042c13eea588a7f1b9afd079ffb28bb
Microsoft Server PCA 2018	330000000288E358F4E2074B9900000000002	2/28/2018	2/28/2033	334af3b6768a869399de242079038d21d1fda5b9865708d7427f7f675d588b43
Microsoft EV ECC Server PCA 2018	3300000002FD7D5D3DDBB517100000000002	2/28/2018	2/28/2033	d21facbab9fad08eeac926fbc6d5062b07f6a76f6b2c4c47f589418a94149c59
Microsoft ECC Server PCA 2018	3300000002368AD5489921BF9B00000000002	2/28/2018	2/28/2033	25d41e8a8543371b9cada5e7d15221d9289cf3f034f5808a8ff9d1d892e8d4de
Microsoft TLS EV Issuing CA 01	3300000006FE1EFED7BC72467E00000000006	5/31/2018	5/31/2023	4e8cf75cec298a40011ec6f345a1b0801daa7f13d4f6df1f1c8807dc92d0d437
Microsoft TLS EV Issuing CA 05	3300000007953BF3A95F91075500000000007	5/31/2018	5/31/2023	190ee6be09b3c97c1167dfd7bb366fe40c066f188a6defb1e0655a3f700341b1
Microsoft TLS ECC EV Issuing CA 01	3300000003B5E464B87F90C883000000000003	5/31/2018	5/31/2023	dbed47a27d2df69af759ead788d33bdd7bee79a33d3b762a7806ffcb3a3acb4
Microsoft TLS ECC EV Issuing CA 05	3300000004F61DD46A694AFE86000000000004	5/31/2018	5/31/2023	664e415a2473015216baeb56708271bce20277e93b398c5332ddd8b94c808327
Microsoft TLS Issuing CA 01	330000000309A4FEB7D2C2ABCA000000000003	5/31/2018	5/31/2023	f6be0e24c9bb74db7674261e7404d7a39d0c1862708b8a0a49d184d8b0c9b914
Microsoft TLS Issuing CA 05	33000000043F51ECC602131C4C000000000004	5/31/2018	5/31/2023	4bc9fe53ce532690216e157c76c77155793c9be895d9f6718ea3d3d1fd694aba
Microsoft TLS ECC Issuing CA 01	3300000003239617A331584C3B000000000003	5/31/2018	5/31/2023	a383b4a775ab1df5e3e88507001ccc35352f44bc82e46694453bf50406b4f6c
Microsoft TLS ECC Issuing CA 05	33000000048C754D11C3A19412000000000004	5/31/2018	5/31/2023	ca61a36f29960ace59951f7ccef46e1368faae5eb3d6c06284cae56e0918d7f7
Microsoft Azure TLS Issuing CA 01	33000000106A1A1B11367DA895000000000010	6/27/2019	6/27/2024	66342ca7e05968238d9fb9fe494febb85c287570506e345ca23fa731174091e9
Microsoft Azure TLS Issuing CA 02	3300000011BDBFDD77D4CAB858000000000011	6/27/2019	6/27/2024	647ef2dfafac46d8fc9c873d7c4babf3f1c032ae62b58d6da7b21f92eb1cae7d
Microsoft Azure TLS Issuing CA 05	33000000120D9A4D386CF31997000000000012	6/27/2019	6/27/2024	c82ab0028e22101a813f02a80ad7114bde3ec4e7e66d37f5681a6dc1e141223b
Microsoft Azure TLS Issuing CA 06	3300000013D4995E0B99796C9B0000000000013	6/27/2019	6/27/2024	41830fe41ca1c0beb2cd319ef4a2d2fd1d2164086509ca4cf90670b0cd0a6a6c
Microsoft Azure ECC TLS Issuing CA 01	330000001055AEEAD40D6C1E58000000000010	6/27/2019	6/27/2024	349ea6a61be292cbd9e2c25351b0dbeff323ab1a37e53ae256a84afca321894
Microsoft Azure ECC TLS Issuing CA 02	3300000011B4F6B33883A1EC67000000000011	6/27/2019	6/27/2024	07e265d6a24ead2ba42ed90a54381f15919dadce0082d70dc44eb26a357d0621
Microsoft Azure ECC TLS Issuing CA 05	33000000120DF640D81AAF81DC000000000012	6/27/2019	6/27/2024	22dbf3d1b7e6c28105d493591b0180aa6b794cb7fd27d289ec920c74f7c6769a
Microsoft Azure ECC TLS Issuing CA 06	330000001319E7C72D85E33B35000000000013	6/27/2019	6/27/2024	7067971c54988ddaccab5b0c126414a1d17cf01e3d60f97f41be9c06d1bd6ece
Microsoft TLS Issuing CA 02	33000000140E723766CFB1420F000000000014	7/25/2019	5/14/2024	43bd5bb8c7926d34494b29d50e2d6e457116478a3e5566240856b9df90513f8b
Microsoft TLS Issuing CA 03	3300000015085DCE13507604C8000000000015	7/25/2019	5/14/2024	2625f98aa5a186daa55ac7b6cfa7a9c28d99f6ede830f1317e7fed350ea18b9d

Microsoft TLS Issuing CA 06	3300000016C097F3161C6C9AE500000000016	7/25/2019	5/14/2024	e42e2a45f090034eebb057a76e5af10d5b49d3f6f9ac40d2f73b6db6ff0c3497
Microsoft TLS Issuing CA 07	33000000178F9C5D4DEC164F6300000000017	7/25/2019	5/14/2024	bf6045c106c411af1e0ba0081056c668e0c0f80380a52de931267c955b7ae67c
Microsoft TLS EV Issuing CA 02	33000000101765FC11EB5F4B2600000000010	7/25/2019	5/14/2024	233897aa0e4c3cc09bbe816aa90023498a909e0f53989455dbc6feec35e08ce5
Microsoft TLS EV Issuing CA 06	330000001127CBE118C4847C71000000000011	7/25/2019	5/14/2024	918410e5eff9905737393889421f4145a273db26a3871f462cb759130e45dd6e
Microsoft TLS ECC EV Issuing CA 02	33000000A0FBCE38F00264B3300000000000A	7/25/2019	5/14/2024	8d0c9827a6b044f0ff44effa154f4cfacbb1e82cdabcaad0ef722552f86ea25
Microsoft TLS ECC EV Issuing CA 06	330000000B854D7E490E80DC9E00000000000B	7/25/2019	5/14/2024	4b5ee4fa66a0a53ae31b8f359f2cdf5b607b8adb8098ad68bcc03a8641bb47d
Microsoft TLS ECC Issuing CA 02	330000001425815B5CB1CCE0C1000000000014	7/25/2019	5/14/2024	438d21b4bb0cea3b7450a9447315b5a5451ff7d1e5b91f27a7eb3149566a5db6
Microsoft TLS ECC Issuing CA 06	3300000015889C316A4742299A0000000000015	7/25/2019	5/14/2024	1cc9e4f7a05717bc1fdcc05245a1f677e840c8b317e35d7765cc41450b813961

1.2 DOCUMENT NAME AND IDENTIFICATION

This document is formally referred to as the Microsoft PKI Services “Certification Practice Statement” (“CPS”). CAs SHALL issue certificates in accordance with the policy and practice requirements of this document. The Object Identifier (OID) for the CPS is:

1.3.6.1.4.1.311.76.509.1.1

The following Object Identifiers are assigned for use by Microsoft CAs as a means of asserting compliance with CAB Forum’s Baseline Requirements and Extended Validation Guidelines:

Digitally Signed Object	Object Identifier (OID)
SSL Domain Validated (DV) Certificates	2.23.140.1.2.1
SSL Organization Validated (OV) Certificates	2.23.140.1.2.2
SSL Individual Validated Certificates	2.23.140.1.2.3
Extended Validation SSL Certificates	2.23.140.1.1
Minimum Requirements for Code Signing	2.23.140.1.4.1
Extended Validation Code Signing	2.23.140.1.3

1.2.1 Revisions

Change Control Log

Revision Date	Revision Reason	Revision Explanation	New Revision	Supersedes

1/27/2010	New	Established	1.0	N/A
1/2/2013	Revised	Updated to support PKI Steering Committee, Microsoft Legal and Audit partner recommendations	1.1	1.0
4/2/2013	Revised	Updated to support the practice of online CA operations	2.0	1.1
4/30/2014	Revised	Updated to incorporate findings from FY13 WebTrust Audit and internal review.	2.1	2.0
2/28/2018	Revised	Major update/rewrite to factor changes in CAB Forum's Baseline Requirements and EV Guidelines.	3.0	2.1
6/12/2018	Revised	Minor updates to factor section revisions in CAB Forum's Baseline Requirements v1.5.7.	3.1	3.0
7/10/2018	Revised	Minor clarifying updates	3.1.1	3.1
10/12/2018	Revised	Minor clarifying updates	3.1.2	3.1.1
8/5/2019	Revised	Minor clarifying updates	3.1.3	3.1.2

1.2.2 Relevant Dates

The CAB Forum's Baseline Requirements document should be referenced for relevant dates on industry practice or policy changes.

1.3 PKI PARTICIPANTS

1.3.1 Certification Authorities

The term Certification Authority (CA) collectively refers to an entity or organization that is responsible for the authorization, issuance, revocation, and life cycle management of a certificate. The term equally applies to Root CAs and Subordinate CAs.

Microsoft PKI Services operates as the Root CA and administers all CA functions within its PKI hierarchy.

The two main categories of CAs that exist within the Microsoft PKI Services' PKI hierarchy are the Root CAs and Subordinate CAs. An up-to-date enlistment of these CA's is maintained by Microsoft PKI Services.

Obligations of CAs operating within the Microsoft PKI Services' PKI hierarchy include:

- Generating, issuing and distributing Public Key certificates, in accordance with this CPS.

- Distributing CA certificates
- Generating and publishing certificate status information (such as CRLs)
- Maintaining the security, availability, and continuity of the certificate issuance and CRL signing functions
- Providing a means for Subscribers to request revocations
- Ensuring that changes in certificate status are reflected in their own repositories and those of authorized certificate validation authorities within the times specified in Section 4 of this CPS.
- Demonstrating internal or external audited compliance, in accordance with this CPS, the CP, and/or CAB Forum Baseline Requirements and EV Guidelines.

1.3.2 Registration Authorities

No RA functions are delegated to third parties by Microsoft PKI Services.

1.3.3 Subscribers

A Subscriber, as defined in Section 1.6, is the end entity whose name or identifier appears as the subject in a certificate, and who uses its key and certificate in accordance with this CPS.

Subscribers within the CA's hierarchy MAY be issued certificates for assignment to devices, groups, organizational roles or applications, provided the responsibility and accountability are attributable to the organization.

Obligations of Subscribers within the CA's hierarchy include:

- Reading and accepting the terms and conditions of the Subscriber Agreement
- Being responsible for the generation of the key pair for their certificate
- Submitting Public Keys and credentials for registration
- Providing information to the RA that is accurate and complete to the best of the Subscribers' knowledge and belief regarding information in their certificates and identification and authentication information
- Taking appropriate measures to protect their Private Keys from compromise
- Promptly reporting loss or compromise of Private Key(s) and inaccuracy of certificate information

1.3.4 Relying Parties

A Relying Party is an individual or entity that acts in reliance on a Certificate or digital signature associated with a Certificate.

1.3.5 Other Participants

Other participants include entities or groups that have participated in the development of this CPS and presiding CP, and any authorities that have contributed to the requirements and guidelines governing the issuance and management of publicly-trusted certificates.

1.4 CERTIFICATE USAGE

1.4.1 Appropriate Certificate Uses

The CA has established policy and technical constraints to define appropriate uses for issued certificates and provides reasonable controls to ensure the certificates are used for their intended purpose.

Certificates issued by the CA are used in accordance with the key usage extensions and extended key usage of the respective Certificates and adhere to the terms and conditions of this CPS, the accompanying CP, any agreements with subscribers, and applicable laws.

Relying Parties SHALL evaluate the application environment and associated risks before deciding on whether to use certificates issued under this CPS.

1.4.2 Prohibited Certificate Uses

Use of certificates in violation of this CPS, applicable laws, and/or key usage constraints, is unauthorized and prohibited. The CA reserves the right to revoke certificates that violate their designated usage.

1.5 POLICY ADMINISTRATION

1.5.1 Organization Administering the Document

The Microsoft PKI Policy Authority is responsible for the maintenance of this CPS.

1.5.2 Contact Person

Contact information is listed below:

PKI Service Manager
Microsoft Corporation
One Microsoft Way
Redmond, WA 98052-6399
Email: certificateauthority@microsoft.com

To request certificate revocation or to report security issues such as suspected key compromise, certificate misuse, fraud or other matters, contact certificateauthority@microsoft.com.

1.5.3 Person Determining CPS Suitability for the Policy

Microsoft PKI Policy Authority determines suitability and applicability of the CPS, in accordance with the CP.

1.5.4 CPS Approval Procedures

The Microsoft PKI Policy Authority reviews and approves any changes to this CPS, in compliance with the CP. Updates to CP or CPS documents SHALL be made available by publishing new versions at <https://www.microsoft.com/pkiops/docs/repository.htm>.

1.6 DEFINITIONS AND ACRONYMS

Capitalized terms and acronyms, not specified herein, are defined in the CAB Forum's Baseline Requirements (BR) and if not specified in the BR, are defined in the Extended Validation (EV) Guidelines.

1.6.1 Definitions

- **Affiliate** – A corporation, partnership, joint venture or other entity controlling, controlled by, or under common control with another entity, or an agency, department, political subdivision, or any entity operating under the direct control of a Government Entity.
- **Applicant** – a natural person or Legal Entity that applies for (or seeks renewal of) a Certificate by a CA.
- **Applicant Representative** – A natural person or human sponsor who is either the Applicant, employed by the Applicant, or an authorized agent who has express authority to represent the Applicant: (i) who signs and submits, or approves a certificate request on behalf of the Applicant, and/or (ii) who signs and submits a Subscriber Agreement on behalf of the Applicant, and/or (iii) who acknowledges the Terms of Use on behalf of the Applicant when the Applicant is an Affiliate of the CA or is the CA.
- **Application Software Supplier** – A supplier of Internet browser software or other relying-party application software that displays or uses Certificates and incorporates Root Certificates.
- **Attestation Letter:** A letter attesting that Subject Information is correct written by an accountant, lawyer, government official, or other reliable third party customarily relied upon for such information.
- **Audit Report** – A report from a Qualified Auditor stating the Qualified Auditor's opinion on whether an entity's processes and controls comply with the mandatory provisions of these Requirements.
- **Authorization Domain Name** – The Domain Name used to obtain authorization for certificate issuance for a given FQDN. The CA may use the FQDN returned from a DNS CNAME lookup as the FQDN for the purposes of domain validation. If the FQDN contains a wildcard character, then the CA MUST remove all wildcard labels from the left most portion of requested FQDN. The CA may prune zero or more labels from left to right until

encountering a Base Domain Name and may use any one of the intermediate values for the purpose of domain validation.

- **Authorized Port** – One of the following ports: 80 (http), 443 (https), 25 (smtp), 22 (ssh).
- **Base Domain Name** – The portion of an applied-for FQDN that is the first domain name node left of a registry-controlled or public suffix plus the registry-controlled or public suffix (e.g. "example.co.uk" or "example.com"). For FQDNs where the right-most domain name node is a gTLD having ICANN Specification 13 in its registry agreement, the gTLD itself may be used as the Base Domain Name.
- **Baseline Requirements (BR)** – An integrated set of technologies, protocols, identity-proofing, lifecycle management, and auditing requirements issued by the CA/Browser Forum and available at cabforum.org.
- **CAA** – From RFC 6844 (<http://tools.ietf.org/html/rfc6844>): “The Certification Authority Authorization (CAA) DNS Resource Record allows a DNS domain name holder to specify the Certification Authorities (CAs) authorized to issue certificates for that domain. Publication of CAA Resource Records allows a public Certification Authority to implement additional controls to reduce the risk of unintended certificate mis-issue.”
- **CA/Browser Forum (CAB Forum)** – A consortium of certification authorities, vendors of Internet browser software, operating systems, and other PKI-enabled applications that promulgates industry guidelines governing the issuance and management of digital certificates. Details are available at: cabforum.org.
- **Certificate** - digital record that contains information such as the Subscriber’s distinguished name and public key, and the signer's signature and data.
- **Certificate Application** – a request from a Certificate Applicant (or authorized agent of the Certificate Applicant) to a CA for the issuance of a Certificate.
- **Certificate Request** – an application for a new Certificate or a renewal of a Certificate.
- **Certificate Revocation List (CRL)** – periodically published listing of all certificates that have been revoked for use by Relying Parties
- **Certificate Signing Request (CSR)** – a message sent to the certification authority containing the information required to issue a digital certificate
- **Certification Authority (CA)** – an entity or organization that is responsible for the authorization, issuance, revocation, and management of a certificate. The term equally applies to Roots CAs and Subordinate CAs.
- **Certificate Policy (CP)** – A set of rules that indicates the applicability of a named Certificate to a particular community and/or PKI implementation with common security requirements.
- **Certification Practice Statement (CPS)** – One of several documents forming the governance framework in which Certificates are created, issued, managed, and used.
- **CSPRNG** – A random number generator intended for use in cryptographic system.
- **Domain Authorization Document** – Documentation provided by, or a CA’s documentation

of a communication with, a Domain Name Registrar, the Domain Name Registrant, or the person or entity listed in WHOIS as the Domain Name Registrant (including any private, anonymous, or proxy registration service) attesting to the authority of an Applicant to request a Certificate for a specific Domain Namespace.

- **Domain Contact** – The Domain Name Registrant, technical contact, or administrative contact (or the equivalent under a ccTLD) as listed in the WHOIS record of the Base Domain Name or in a DNS SOA record, or as obtained through direct contact with the Domain Name Registrar.
- **Domain Name** – The label assigned to a node in the Domain Name System.
- **Domain Namespace** – The set of all possible Domain Names that are subordinate to a single node in the Domain Name System.
- **Domain Name Registrant** – Sometimes referred to as the “owner” of a Domain Name, but more properly the person(s) or entity(ies) registered with a Domain Name Registrar as having the right to control how a Domain Name is used, such as the natural person or Legal Entity that is listed as the “Registrant” by WHOIS or the Domain Name Registrar.
- **Domain Name Registrar** – A person or entity that registers Domain Names under the auspices of or by agreement with: (i) the Internet Corporation for Assigned Names and Numbers (ICANN), (ii) a national Domain Name authority/registry, or (iii) a Network Information Center (including their affiliates, contractors, delegates, successors, or assigns).
- **Distinguished Name (DN)** – a globally unique identifier representing a Subject that is used on Certificates and in the Repository
- **EV Certificate** – A certificate that contains subject information specified and validated in accordance with the EV Guidelines.
- **EV Certificate Beneficiaries** – Persons to whom the CA and its Root CA make specified EV Certificate Warranties.
- **EV Guidelines** – Guidelines for the Issuance and Management of Extended Validation Certificates, as defined by the CA/Browser Forum.
- **Extended Key Usage** – An extension in an X.509 certificate to indicate the allowed purpose(s) for the use of the public key. Also referenced or known as “Enhanced Key Usage”.
- **Fully-Qualified Domain Name (FQDN)** – A Domain Name that includes the labels of all superior nodes in the Internet Domain Name System.
- **Government Entity** – A government-operated legal entity, agency, department, ministry, branch, or similar element of the government of a country, or political subdivision within such country (such as a state, province, city, county, etc.).
- **Issuing CA** – The first digital certificate issuing authority who issues certificates signed by the root certificate authority (CA).

- **Legal Entity** – An association, corporation, partnership, proprietorship, trust, or government entity that has legal standing in a country’s legal system.
- **Microsoft PKI Policy Authority** – Combination of Microsoft’s Steering and Oversight Committees.
- **Online CA (OCA)** - a certification authority system which signs end-entity Subscriber Certificates that are operated and maintained in an online state so as to provide continually available certificate signing services. Online CAs reside in segmented, secured, and functionally dedicated networks.
- **Private Key** – The key of a key pair that is kept secret by the holder of the key pair, and that is used to create digital signatures and/or to decrypt electronic records or files that were encrypted with the corresponding Public Key.
- **Public Key** – The key of a key pair that may be publicly disclosed by the holder of the corresponding Private Key and that is used by a Relying Party to verify digital signatures created with the holder corresponding Private Key and/or to encrypt messages so that they can be decrypted only with the holder’s corresponding Private Key.
- **Public Key Infrastructure (PKI)** – A set of hardware, software, people, procedures, rules, policies, and obligations used to facilitate the trustworthy creation, issuance, management, and use of Certificates and keys based on Public Key Cryptography.
- **Random Value** – A value specified by a CA to the Applicant that exhibits at least 112 bits of entropy.
- **Registration Authority (RA)** – Any Legal Entity that is responsible for identification and authentication of Subjects of Certificates, but is not a CA, and hence does not sign or issue Certificates. An RA MAY assist in the Certificate application process or revocation process or both. When “RA” is used as an adjective to describe a role or function, it does not necessarily imply a separate body, but can be part of the CA.
- **Registration Identifier** -- the unique code assigned to an Applicant by the Incorporating or Registration Agency in such entity’s Jurisdiction of Incorporation or Registration.
- **Reliable Data Source** – An identification document or source of data used to verify Subject Identity Information that is generally recognized among commercial enterprises and governments as reliable, and which was created by a third party for a purpose other than the Applicant obtaining a Certificate.
- **Relying Party** – a Relying Party is an individual or entity that acts in reliance on a Certificate or digital signature associated with a Certificate.
- **Relying Party Agreement** – an agreement which specifies the stipulations under which a person or organization acts as a Relying Party

- **Repository** – an online database containing publicly-disclosed PKI governance documents (such as Certificate Policies and Certification Practice Statements) and Certificate status information, either in the form of a CRL or an OCSP response.
- **Request Token** – A value derived in a method specified by the CA which binds this demonstration of control to the certificate request.

The Request Token SHALL incorporate the key used in the certificate request.

A Request Token MAY include a timestamp to indicate when it was created.

A Request Token MAY include other information to ensure its uniqueness.

A Request Token that includes a timestamp SHALL remain valid for no more than 30 days from the time of creation.

A Request Token that includes a timestamp SHALL be treated as invalid if its timestamp is in the future.

A Request Token that does not include a timestamp is valid for a single use and the CA SHALL NOT re-use it for a subsequent validation.

The binding SHALL use a digital signature algorithm or a cryptographic hash algorithm at least as strong as that to be used in signing the certificate request.

- **Required Website Content** – Either a Random Value or a Request Token, together with additional information that uniquely identifies the Subscriber, as specified by the CA.
- **Root CA** – The top-level CA whose root certificate is distributed by Application Software Suppliers and that issues Subordinate CA Certificates.
- **Signing Service** – an organization that signs an Object on behalf of a Subscriber using a Private Key associated with a Code Signing Certificate.
- **Subject** – The natural person, device, system, unit, or Legal Entity identified in a Certificate as the Subject. The Subject is either the Subscriber or a device under the control and operation of the Subscriber.
- **Subject Identity Information** – Information that identifies the Certificate Subject. Subject Identity Information does not include a domain name listed in the subjectAltName extension or the Subject commonName field.
- **Subscriber** – an individual or end-entity (person, device, or application) that has been issued a Certificate and is authorized to use the Private Key that corresponds to the Public Key in the Certificate
- **Subscriber Agreement** – an agreement containing the terms and conditions that the authorized Subscriber consented to for the use of their issued certificate, containing the private key and corresponding public key.
- **Suspect Code** - code that contains malicious functionality or serious vulnerabilities, including spyware, malware and other code that installs without the user's consent and/or

resists its own removal, and code that can be exploited in ways not intended by its designers to compromise the trustworthiness of the Platforms on which it executes.

- **Takeover Attack** - an attack where a Signing Service or Private Key associated with the Code Signing Certificate has been compromised by means of fraud, theft, intentional malicious act of the Subject’s agent, or other illegal conduct.
- **Technically Constrained Subordinate CA Certificate** -- a Subordinate CA certificate which uses a combination of Extended Key Usage settings and Name Constraint settings to limit the scope within which the Subordinate CA Certificate MAY issue Subscriber or additional Subordinate CA Certificates.
- **Terms of Use** – Provisions regarding the safekeeping and acceptable uses of a Certificate issued in accordance with these Requirements when the Applicant/Subscriber is an Affiliate of the CA or is the CA.
- **Test Certificate** – A Certificate with a maximum validity period of 30 days and which: (i) includes a critical extension with the specified Test Certificate CABF OID (2.23.140.2.1), or (ii) is issued under a CA where there are no certificate paths/chains to a root certificate subject to these Requirements.
- **TimeStamp Authority** – a service operated by the CA or a delegated third party for its own code signing certificate users that timestamps data using a certificate chained to a public root, thereby asserting that the data (or the data from which the data were derived via secure hashing algorithm) existed at the specific time. If the TimeStamp Authority is delegated to a third party, the CA is responsible that the delegated authority complies with the CAB Code Signing Requirements.
- **Transport Layer Security (TLS)/Secure Socket Layer (SSL)** – a security protocol that is widely used in the Internet, for the purpose of authentication and establishing secure sessions
- **Trusted Role** – An employee or contractor of a CA or Delegated Third Party who has authorized access to or control over CA Operations.
- **Wildcard Domain Name** – A Domain Name consisting of a single asterisk character followed by a single full stop character (“*.”) followed by a Fully-Qualified Domain Name.

1.6.2 Acronyms

Term	Definition
CA	Certification Authority
CAA	Certification Authority Authorization
ccTLD	Country Code Top-Level Domain

CP	Certificate Policy
CPS	Certification Practice Statement
CRL	Certificate Revocation List
DBA	Doing Business As
DN	Distinguished Name
DNS	Domain Name System
EV	Extended Validation
FIPS	(US Government) Federal Information Processing Standard
FQDN	Fully Qualified Domain Name
HSM	Hardware Security Module
IANA	Internet Assigned Numbers Authority
IETF	Internet Engineering Task Force
ISO	International Organization for Standardization
NIST	(US Government) National Institute of Standards and Technology
OCSP	Online Certificate Status Protocol
OID	Object Identifier
PKI	Public Key Infrastructure
RA	Registration Authority
SSL	Secure Socket Layer
TLS	Transport Layer Security
TTL	Time to Live

1.6.3 References

CA/Browser Forum Baseline Requirements Certificate Policy for the Issuance and Management of Publicly-Trusted Certificates (“Baseline Requirements”)

CA/Browser Forum Guidelines for the Issuance and Management of Extended Validation Certificates (“EV Guidelines”)

Digital Signature Standard, FIPS 186-4 (<http://csrc.nist.gov/publications/pubsfips.html>).

FIPS 140-2, Federal Information Processing Standards Publication - Security Requirements For Cryptographic Modules, Information Technology Laboratory, National Institute of Standards and Technology, May 25, 2001.

RFC2119, Request for Comments: 2119, Key words for use in RFCs to Indicate Requirement Levels, Bradner, March 1997.

RFC3647, Request for Comments: 3647, Internet X.509 Public Key Infrastructure: Certificate Policy and Certification Practices Framework, Chokhani, et al, November 2003.

RFC5019, Request for Comments: 5019, The Lightweight Online Certificate Status Protocol (OCSP) Profile for High-Volume Environments, A. Deacon, et al, September 2007.

RFC5280, Request for Comments: 5280, Internet X.509 Public Key Infrastructure: Certificate and Certificate Revocation List (CRL) Profile, Cooper et al, May 2008.

RFC6960, Request for Comments: 6960, X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP. Santesson, Myers, Ankney, Malpani, Galperin, Adams, June 2013.

WebTrustforCertificationAuthorities,SSLBaselinewithNetworkSecurity,Version2.0,available at <http://www.webtrust.org/homepage-documents/item79806.pdf>.

X.509, Recommendation ITU-T X.509 (10/2012) | ISO/IEC 9594-8:2014 (E), Information technology – Open Systems Interconnection – The Directory: Public-key and attribute certificate frameworks.

1.6.4 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in these Requirements SHALL be interpreted in accordance with RFC 2119.

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1 REPOSITORIES

A public Repository of CA information and associated policy documents is located at <https://www.microsoft.com/pkiops/docs/repository.htm>.

2.2 PUBLICATION OF INFORMATION

A web-based repository is available to all Relying Parties who wish to access to this CPS and other information from Microsoft PKI Services. The repository SHALL contain the current versions of this CPS and accompanying CP, a fingerprint of the established Root CAs, current CRLs, qualified Auditor Reports, Subscriber and Relying Party Agreements, a Privacy Statement, and other Terms of Use information.

The CA SHALL host test Web pages that allow Application Software Suppliers to test their software with Subscriber Certificates that chain up to each publicly trusted Root Certificate. At a minimum, the CA SHALL host separate Web pages using Subscriber Certificates that are (i) valid, (ii) revoked, and (iii) expired.

2.3 TIME OR FREQUENCY OF PUBLICATION

The CA SHALL annually review their CP and CPS and compare it with the CAB Forum's Baseline Requirements and EV Guidelines for any modifications.

Updates SHALL be published annually, in accordance with Section 1.5, and the document version number SHALL be incremented to account for the annual review and potential content revisions.

New versions of this CPS and respective CP documents will become effective immediately for all participants listed in Section 1.3.

The CA offers CRLs showing the revocation of Microsoft PKI Services Certificates and offers status checking through the online repository. CRLs will be published in accordance with Section 4.9.6 and Section 4.9.7.

2.4 ACCESS CONTROLS ON REPOSITORIES

CAs SHALL not limit access to this CP, their CPS, Certificates, CRLs and Certificate status information. CAs SHALL however implement controls to prevent unauthorized adding, modifying or deleting of repository entries.

3. IDENTIFICATION AND AUTHENTICATION

3.1 NAMING

3.1.1 Type of Names

Certificates SHALL be issued in accordance with the X.509 standard. CA Certificates SHALL generate and sign certificates containing a compliant distinguished name (DN) in the Issuer and Subject name fields; the DN MAY contain domain component elements. EV SSL, EV Code Signing, domain-validated, and organization-validated SSL Subscriber Certificates MUST contain Subject Alternative Name (SAN). Naming values for EV SSL, EV Code Signing, and domain-validated and organization-validated SSL Certificates conform with the governing CA/Browser Forum Guidelines published at www.cabforum.org. The certificate profiles for specifying names SHALL conform with requirements in Section 7.

3.1.2 Need for Names to be Meaningful

Distinguished names SHALL identify both the entity (i.e. person, organization, device, or object) that is the subject of the Certificate and the entity that is the issuer of the Certificate.

3.1.3 Anonymity or Pseudonymity of Subscribers

No Stipulation

3.1.4 Rules for Interpreting Various Name Forms

No Stipulation

3.1.5 Uniqueness of Names

No Stipulation

3.1.6 Recognition, Authentication, and Role of Trademarks

Certificate Applicants SHALL NOT use names in their Certificate Application or Certificate Request that infringes upon the intellectual property rights of entities outside of their authority.

3.2 INITIAL IDENTITY VALIDATION

3.2.1 Method to Prove Possession of Private Key

The Registration and/or Issuance process SHALL involve procedures in which the Applicant demonstrates possession of the Private Key by using a self-signed PKCS#10 request, an equivalent cryptographic mechanism, or a different method approved by the CA.

3.2.2 Authentication of Organization and Domain Identity

The CA SHALL verify the identity of an organization or domain, and the Applicant's authority to request Certificates on behalf of the organization or domain, in accordance with procedures set forth in this CPS and the CAB Forum's Baseline Requirements.

If an Applicant requests an Extended Validation (EV) or a Code Signing Certificate, the CA SHALL conform to the CAB Forum's respective EV Guidelines.

3.2.2.1 Identity

If the Subject Identity Information is to include the name or address of an organization, the CA SHALL verify the identity and address of the organization and that the address is the Applicant's address of existence or operation. The CA SHALL verify the identity and address of the Applicant using documentation provided by, or through communication with at least one of the following:

1. A government agency in the jurisdiction of the Applicant's legal creation, existence, or recognition;
2. A third-party database that is periodically updated and considered a Reliable Data Source;
3. A site visit by the CA or a third party who is acting as an agent for the CA; or

4. An Attestation Letter.

The CA MAY use the same documentation or communication described in 1 through 4 above to verify both the Applicant's identity and address.

Alternatively, the CA MAY verify the address of the Applicant (but not the identity of the Applicant) using a utility bill, bank statement, credit card statement, government-issued tax document, or other form of identification that the CA determines to be reliable.

3.2.2.2 DBA/Tradename

If the Subject Identity information includes a DBA or tradename, the CA SHALL use the same verification procedures and criteria as in Section 3.2.2.1 to verify the Applicant's right to use the DBA/tradename.

3.2.2.3 Verification of Country

If the subject:countryName field is present, then the CA SHALL verify the country associated with the Subject using any method in Section 3.2.2.1.

3.2.2.4 Validation of Domain Authorization or Control

Microsoft PKI Services SHALL confirm that, before a Certificate gets issued, the Fully-Qualified Domain Name (FQDN) and/or its accompanying Domain Namespace MUST be validated for use in the Certificate by one or more of the methods listed below. The validation process must be initiated within the allowed time-period specified in the relevant requirement, such as Section 3.3.1 of this CPS.

Microsoft PKI Services utilizes the following methods as detailed in the Baseline Requirements:

- 3.2.2.4.2 Email, Fax, SMS, or Postal Mail to Domain Contact;
- 3.2.2.4.3 Phone Contact with Domain Contact;
- 3.2.2.4.6 Agreed Upon Change to Website;
- 3.2.2.4.7 DNS Change.

For each method Microsoft PKI Services will follow a documented process and maintain records noting the method(s) used for each issuance.

3.2.2.5 Authentication for an IP Address

Microsoft PKI Services does not issue to IP Addresses from CAs governed by this CPS

3.2.2.6 Wildcard Domain Validation

Using a documented process, Microsoft PKI Services will refuse issuance if a wildcard character in a CN or subjectAltName of type DNS-ID occurs in the first label position to the left of a "registry-controlled" label or "public suffix" (e.g. ".com"; ".co.uk"). Upon receiving an application for a wildcard certificate as described in the previous sentence, Microsoft PKI Services will only allow issuance after an applicant proves its rightful control of the entire Domain Namespace.

3.2.2.7 Data Source Accuracy

Prior to using any data source as a Reliable Data Source, the CA SHALL evaluate the source for its reliability, accuracy, and resistance to alteration or falsification.

The criteria for this evaluation SHOULD include:

1. The age of the information provided
2. The frequency of updates to the information source
3. The data provider and purpose of the data collection
4. The public accessibility of the data availability, and
5. The relative difficulty in falsifying or altering the data.

Databases maintained by the CA, its owner, or its affiliated companies do not qualify as a Reliable Data Source if the primary purpose of the database is to collect information for the purpose of fulfilling the validation requirements under this Section 3.2.2.

3.2.2.8 CAA Records

This section is effective as of 8 September 2017.

As part of the issuance process, Microsoft PKI Services MUST check for CAA records for each `dNSName` in the `subjectAltName` extension of the Certificate to be issued, as specified in the procedures of RFC 6844 as amended by Errata 5065 (Appendix A). If Microsoft PKI Services issues, they MUST do so within the TTL of the CAA record, or 8 hours, whichever is greater.

This stipulation does not prevent Microsoft PKI Services from checking CAA records at any other time.

When processing CAA records, Microsoft PKI Services MUST process the `issuewild`, and `iodef` property tags as specified in RFC 6844, although they are not required to act on the contents of the `iodef` property tag. Additional property tags MAY be supported but MUST NOT conflict with or supersede the mandatory property tags set out in this document. Microsoft PKI Services MUST respect the critical flag and not issue a Certificate if they encounter an unrecognized property with this flag set.

RFC 6844 requires that Microsoft PKI Services "MUST NOT issue a certificate unless either (1) the Certificate request is consistent with the applicable CAA Resource Record set or (2) an exception specified in the relevant Certificate Policy or Certification Practices Statement applies."

Microsoft PKI Services MAY decide to not rely on any exceptions specified in their CP or CPS unless they are one of the following:

- CAA checking is optional for Certificates for which a Certificate Transparency pre-certificate was created and logged in at least two public logs, and for which CAA was checked.

- CAA checking is optional for certificates issued by a Technically Constrained Subordinate CA Certificate as set out in Baseline Requirements section 7.1.5, where the lack of CAA checking is an explicit contractual provision in the contract with the Applicant.
- CAA checking is optional if Microsoft PKI Services or associated Affiliate is the DNS Operator (as defined in RFC 7719) of the domain's DNS.

Microsoft PKI Services is permitted to treat a record lookup failure as permission to issue if:

- the failure is outside of their CA infrastructure;
- the lookup has been retried at least once; and
- the domain's zone does not have a DNSSEC validation chain to the ICANN root.

Microsoft PKI Services MUST document potential issuances that were prevented by a CAA record in sufficient detail to provide feedback to the CAB Forum on the circumstances and SHOULD dispatch reports of such issuance requests to the contact(s) stipulated in the CAA iodef record(s), if present. URL schemes in the iodef record other than mailto: or https: are not supported.

3.2.3 Authentication of Individual Identity

Microsoft PKI Services does not issue certificates to natural persons from CAs governed by this CPS

3.2.4 Non-Verified Subscriber Information

Microsoft PKI Services does not verify the following subscriber information:

- Organization identity for Domain Validated certificates;
- Any other information not designated as verified.

3.2.5 Validation of Authority

Microsoft PKI Services shall verify authority for all certificate requests using a Reliable Method of Communication as described in the Baseline Requirements. For Domain Validated or Organization Validated requests, Microsoft PKI Services shall verify this authority utilizing one or more methods as described in the Baseline Requirements. For Extended Validation requests, Microsoft PKI Services shall verify this authority using the procedures described in the EV Guidelines.

Microsoft PKI Services will allow an Applicant to limit authority to a list of authorized individuals. The limitation to authorized individuals is complete once Microsoft PKI Services notifies Applicant that the specified limitations have been approved.

3.2.6 Criteria for Interoperation or Certification

The CA SHALL disclose all Cross Certificates that identify the CA as the Subject, provided that the CA arranged for or accepted the establishment of the trust relationship (i.e. the Cross Certificate at issue).

3.3 IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS

3.3.1 Identification and Authentication for Routine Re-Key

CAs SHALL treat certificate re-key requests identical to applications for new certificates and perform the same identity-proofing processes as described in Section 3.2.2. Routine re-key of the CA Certificates SHALL be performed in accordance with the established Key Generation process in Section 6.1 of this CPS.

Re-keys of Extended Validation Subscriber Certificates require no additional verification, provided that the data used to support issuance complies with Section 11.14 of the Guidelines for the Issuance and Management of Extended Validation Certificates.

3.3.2 Identification and Authentication for Re-Key After Revocation

Revoked or Expired Certificates SHALL require a new enrollment. Applicants MUST submit a new Certificate Request and be subject to the same Identification and Authentication requirements as first-time Applicants, as specified in Section 3.2.2 of this CPS.

3.4 IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUEST

A Certificate Revocation Request that is submitted electronically MAY be authenticated and approved, providing the request comes from the subscriber or an approved authority. The identity of the person or end-entity submitting a revocation request in any other manner SHALL be authenticated per Section 3.2.2.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

4.1 CERTIFICATE APPLICATION

4.1.1 Who Can Submit a Certificate Application

No individual or entity listed on a government denied list, list of prohibited persons or other list that prohibits doing business with such organization or person under the laws of the United States may submit an application for a Certificate.

Applicants or authorized Certificate Requestors who are not included in any of the previous lists MAY submit a Certificate Application provided the Certificate Request meets the requirements set forth in the CP, this CPS, and the CA/Browser Forum's Baseline Requirements and EV Guidelines published at www.cabforum.org.

In accordance with Section 5.5.2, the CA SHALL maintain an internal database of all previously revoked Certificates and previously rejected certificate requests due to suspected phishing or other fraudulent usage or concerns. The CA SHALL use this information to identify subsequent

suspicious certificate requests.

4.1.2 Enrollment Process and Responsibilities

Prior to the issuance of a Certificate, an Applicant SHALL undergo an enrollment process which, at minimum, includes:

1. Completing and submitting a digitally signed Certificate Request;
2. Consenting to a Subscriber Agreement, which MAY be an electronic acknowledgement;
3. Paying any applicable fees.

Certificate Applicants are required to fully comply with the requirements for the requested products prior to Certificate issuance.

4.2 CERTIFICATE APPLICATION PROCESSING

4.2.1 Performing Identification and Authentication Functions

Certificate Applications are reviewed and processed, per the Identification and Authentication requirements in Section 3.2.2.

Certificate requests MAY be subject to additional verification activities, as outlined in documented procedures, prior to approving the request.

4.2.2 Approval or Rejection of Certificate Applications

Submitted Certificate applications MUST be reviewed and approved by the CA or appointed RA prior to issuance. Certificate Applications MAY be approved if the requirements of Section 3.2.2 and CAB Forum Requirements and Guidelines are met.

The Certificate Application MAY be rejected for any of, but not limited to, the following reasons:

- Applicant or Subscriber information is unable to be verified, per Section 3.2.2;
- The CA deems the certificate issuance MAY negatively impact the CA's business or reputation;
- Failure to consent to the Subscriber Agreement;
- Failure to provide Payment;
- Requests for EV Certificates contain entity information that are on a government deny list;
- The Certificate Request contains an internal name with a gTLD that ICANN has either announced or MAY consider making operational, per information from the following location: <https://gtldresult.icann.org/application-result/applicationstatus/viewstatus>.

The CA reserves the right to not disclose reasons for refusal.

EV Certificate requests SHALL be validated by Trusted Role personnel.

4.2.3 Time to Process Certificate Applications

Certification applications SHALL be processed within a commercially reasonable time frame. The CA SHALL not be responsible for processing delays initiated by the Applicant or from events outside of the CA's control.

4.2.4 Verification of CAA Records

Microsoft PKI Services supports CAA record checking, as described in Section 3.2.2.8. Subscribers who wish to authorize Microsoft PKI Services to issue Certificates for their FQDNs should include a CAA record property "issue" or "issuewild", which contains the value "microsoft.com" in their respective DNS zone.

Subscribers who already have CAA entries in their respective DNS zone and need a Certificate from Microsoft PKI Services must add a CAA record property "issue" or "issuewild", which includes the value "microsoft.com".

4.3 CERTIFICATE ISSUANCE

4.3.1 CA Actions During Certificate Issuance

The source of the Certificate Request SHALL be verified before issuance. Certificates are generated, issued and distributed only after the CA or RA performs the required identification and authentication steps in accordance with Section 3. Certificates SHALL be checked to ensure that all fields and extensions are properly populated. Exceptions to defined Certificate Policies MUST be approved by the Microsoft PKI Policy Authority.

4.3.2 Notification of Certificate Issuance

Upon issuance, Subscribers SHALL be notified via an email or another agreed upon method, with information about the issued Certificate.

4.4 CERTIFICATE ACCEPTANCE

4.4.1 Conduct Constituting Certificate Acceptance

A Subscriber's receipt of a Certificate and subsequent use of the Certificate and its key pair constitutes Certificate acceptance. It is the sole responsibility of the Subscriber to install the issued Certificate on their designated system.

4.4.2 Publication of the Certificate by the CA

Certificates SHALL be published in the Repository.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

No Stipulation

4.5 KEY PAIR AND CERTIFICATE USAGE

4.5.1 Subscriber Private Key and Certificate Usage

Use of the Private Key corresponding to the Public Key in the Certificate SHALL only be permitted once the Subscriber has agreed to the Subscriber agreement and accepted the Certificate.

Subscribers and CAs SHALL use their Private Keys for the purposes as constrained by the extensions (such as key usage, extended key usage, certificate policies, etc.) in the Certificates issued to them.

Subscribers SHALL protect their Private Keys from unauthorized use and discontinue use of the Private Key following expiration or revocation of the Certificate.

Subscribers SHALL contact the issuing entity if the Private Key is compromised.

4.5.2 Relying Party Public Key and Certificate Usage

Relying parties SHALL use Public Key certificates and associated Public Keys for the sole purposes as constrained by the CP or this CPS and Certificate extensions (such as key usage, extended key usage, certificate policies, etc.) in the Certificates. Relying Parties are subject to the terms of the Relying Party Agreement on the public repository and responsibly verify the validity of the Certificate, including revocation status, prior to trusting any Certificate.

4.6 CERTIFICATE RENEWAL

4.6.1 Circumstance for Certificate Renewal

Subscribers are responsible for the renewal of Certificates to maintain service continuity.

4.6.2 Who May Request Renewal

Certificate Renewals MAY be requested by the Subscriber or an authorized agent, providing the Renewal Request meets the requirements set forth in this CPS, the governing CP, and the CA/Browser Forum's Baseline Requirements and EV Guidelines published at www.cabforum.org.

4.6.3 Processing Certificate Renewal Requests

Renewal requests follow the same validation and authentication procedures as a new Certificate Request and MAY re-use the information provided with the original Certificate Request, for means of verification. If for any reason re-verification fails, the certificate SHALL not be renewed and be subject to new key generation, in accordance with Section 6.1.1.

4.6.4 Notification of New Certificate Issuance to Subscriber

Certificate Renewals SHALL follow the same notification method as a new certificate, in accordance with Section 4.3.2.

4.6.5 Conduct Constituting Acceptance of Renewal Certificate

Certificate Renewals SHALL follow the same acceptance method as a new certificate, in accordance with Section 4.4.1.

4.6.6 Publication of the Renewal Certificate by the CA

Certificate Renewals SHALL follow the same publication method as a new certificate, in accordance with Section 4.4.2.

4.6.7 Notification of Certificate Issuance by the CA to Other Entities

Certificate notifications to other entities SHALL follow the same entity notification method as a new certificate, in accordance with Section 4.4.3.

4.7 CERTIFICATE RE-KEY

CAs SHALL treat certificate re-key requests identical to applications for new certificates and perform the same identity-proofing processes, as described in Section 3.2.2, and the same acceptance methods, as described in Section 4.4. Routine re-key of the CA certificates SHALL be performed in accordance with the established key generation process of Section 6.1 in this CPS.

4.7.1 Circumstance for Certificate Re-Key

No Stipulation

4.7.2 Who May Request Certification of a New Public Key

No Stipulation

4.7.3 Processing Certificate Re-Key Requests

No Stipulation

4.7.4 Notification of New Certificate Issuance to Subscriber

No Stipulation

4.7.5 Conduct Constituting Acceptance of a Re-keyed Certificate

No Stipulation

4.7.6 Publication of the Re-keyed Certificate by the CA

No Stipulation

4.7.7 Notification of Certificate Issuance by the CA to Other Entities

No Stipulation

4.8 CERTIFICATE MODIFICATION

Modification to an issued Certificate's details is not permitted. The certificate MUST first be revoked, core subscriber information must remain the same (domain name, DUNS/SSN, etc.),

and only inconsequential information must have changed (email address, phone number, etc), before modifications to the Subscriber information are allowed. The replacement certificate doesn't require the same identity and authentication procedures as a new Applicant (as in Section 4.2.1) and SHALL be issued with new validity dates.

4.8.1 Circumstance for Certificate Modification

No stipulation

4.8.2 Who May Request Certificate Modification

No stipulation

4.8.3 Processing Certificate Modification Requests

No stipulation

4.8.4 Notification of New Certificate Issuance to Subscriber

No stipulation

4.8.5 Conduct Constituting Acceptance of Modified Certificate

No stipulation

4.8.6 Publication of the Modified Certificate by the CA

No stipulation

4.8.7 Notification of Certificate Issuance by the CA to Other Entities

No stipulation

4.9 CERTIFICATE REVOCATION AND SUSPENSION

4.9.1 Circumstances for Revocation

The CA SHALL revoke Subscriber or Subordinate CA Certificates if one or more of the following circumstances occur:

1. Certificate revocation is requested in writing and in accordance with Section 4.9.3;
2. The CA acquires evidence that the Certificate or key pairs were compromised or misused.
3. The Subscriber can be shown to have violated obligations under the Subscriber Agreement;
4. The CA is notified that the original Certificate request was not authorized and does not grant retroactive authorization;
5. The Natural Person Subscriber has been terminated or the organization goes out of business;
6. The Issuing or Subordinate CA ceases operation for any reason and has not arranged for another CA to provide revocation support for the Certificate;

7. The Issuing or Subordinate CA's right to issue Certificates has expired, is revoked or terminated, unless the CA arranged to continue maintaining the CRL/OCSP Repository;
8. Any information in the certificate is inaccurate, not legally permitted, or presents an unacceptable risk to Microsoft, Relying Parties, or Application Software Suppliers;
9. Revocation is required per guidelines in this CPS;
10. The Certificate was not issued in accordance with this CPS, CP, corresponding CAB Guidelines, or other arising factors per applicable laws or regulations.

4.9.1.1 Reasons for Revoking a Subscriber Certificate

A Subscriber Certificate SHALL be revoked within 24 hours if any of the circumstances in Section 4.9.1 or additional items specified in the CAB Forum Baseline Requirements and EV Guidelines occur.

4.9.1.2 Reasons for Revoking a Subordinate CA Certificate

A Subordinate CA Certificate SHALL be revoked within seven (7) days if one or more of the circumstances in Section 4.9.1 or additional items specified in the CAB Forum Baseline Requirements and EV Guidelines occur.

4.9.2 Who Can Request Revocation

Certificate revocations MAY be requested from the authorized Subscribers, RAs, or the CA. Third parties MAY also submit Certificate Problem Reports to the Issuing CA, if one or more of the circumstances in 4.9.1 occur that suggests reasonable cause to revoke the certificate.

4.9.3 Procedure for Revocation Request

The CA MAY process revocation requests using at least the following steps:

1. CA SHALL log the identity of the entity submitting the request or Certificate Problem Report and the reason for requesting revocation; to include, CA's reasons for revocation;
2. CA MAY request authorization of the revocation request from the Subscriber or designated contact;
3. CA SHALL authenticate the entity making the request, per Section 4.9.2;
4. If a request is received from a third party, CA personnel SHALL initiate an investigation within 24 hours of receipt of the request to determine if a revocation is applicable, based the criteria in Section 4.9.5;
5. CA SHALL verify the requested revocation reason aligns with those in Section 4.9.1.1 or 4.9.1.2;
6. If CA determines that revocation is appropriate; CA personnel MAY revoke the certificate and update the CRL.

CA SHALL maintain a 24x7 availability to internally respond to any high priority revocation requests. If appropriate, CA MAY forward complaints to law enforcement.

Instructions for requesting a revocation is provided in the PKI Repository.

4.9.4 Revocation Request Grace Period

Subscribers are required to request revocation within a commercially reasonable amount of time after detecting the loss or compromise of the Private Key (within 24 hours is recommended).

4.9.5 Time Within Which CA Must Process the Revocation Request

Revocation requests SHALL initiate an investigation within 24 business hours of receiving the request.

CAs and/or RAs SHALL consider whether revocation or other actions are warranted based on at least following criteria:

1. The entity submitting the complaint;
2. The nature of the alleged problem;
3. The number of reports received about a certain Certificate or Subscriber problem; or
4. Relevant legislation.

4.9.6 Revocation Checking Requirement for Relying Parties

Relying Parties SHALL verify a Certificate's validity and revocation status prior to relying on the Certificate.

4.9.7 CRL Issuance Frequency

The CA SHALL post new CRL entries, as soon as a revocation request is fulfilled.

Subscriber Certificate CRLs SHALL be updated and issued at least once every seven (7) days and record the date and time of the transaction in the CRL's *ThisUpdate* field. The CRL's *NextUpdate* field value identifies the point in time when the CRL expires and MUST NOT be more than ten (10) days after the value of the *ThisUpdate* field.

CRLs for Subordinate CA Certificates SHALL be updated and issued at least once every twelve (12) months, within 24 hours after revoking a Subordinate CA Certificate, and the CRL's *NextUpdate* field value MUST NOT be more than twelve (12) months after the value of the *ThisUpdate* field.

Upon expiration of certain CAs a final CRL MAY be published that has a *NextUpdate* value that exceeds the time parameters noted elsewhere in this section.

4.9.8 Maximum Latency for CRLs

CRLs are posted to the repository within a commercially reasonable amount of time after generation.

CRL responses for an EV certificate chain MUST be downloaded in three (3) seconds or less over an analog telephone line under normal operating conditions.

4.9.9 On-Line Revocation/Status Checking Availability

In accordance with RFC6960 and/or RFC5019, CAs MUST ensure that OCSP responses are signed by one of the following:

1. The Issuing CA of the Certificate whose revocation status is being checked, or
2. An OCSP Responder whose Certificate is signed by the Issuing CA of the Certificate whose revocation status is being checked.
 - a. In this instance, the OCSP signing Certificate MUST contain an extension type of id-pkix-ocsp-nocheck, as defined by RFC6960.

4.9.10 On-Line Revocation Checking Requirements

The CA SHALL support an OCSP capability using the GET method for certificates issued in accordance with RFC 6960 and CA/Browser Forum Baseline Requirements.

For the status of Subscriber Certificates: The CA SHALL update information via OCSP at least every four (4) days and the responses from this service MUST have a maximum expiration time of ten (10) days.

For the status of Subordinate CA Certificates: the CA SHALL update information via OCSP at least (i) every twelve (12) months and (ii) within twenty-four (24) hours after revoking a Subordinate CA Certificate.

An OCSP responder that receives a request for status of a certificate which has not been issued, SHOULD NOT respond with a “good” status. The CA SHOULD monitor the responder for such requests as part of its security response procedures.

OCSP responders for CAs that are not Technically Constrained, per Section 7.1.5, MUST NOT respond with a “good” status for such certificates.

4.9.11 Other Forms of Revocation Advertisements Available

No Stipulation

4.9.12 Special Requirements Related to Key Compromise

See Section 4.9.1

4.9.13 Circumstances for Suspension

Not applicable.

4.9.14 Who Can Request Suspension

Not applicable.

4.9.15 Procedure for Suspension Request

Not applicable.

4.9.16 Limits on Suspension Period

Not applicable.

4.10 CERTIFICATE STATUS SERVICES

4.10.1 Operational Characteristics

No Stipulation

4.10.2 Service Availability

The CA SHALL operate and maintain its CRL and OCSP capability with resources sufficient to provide a response time of ten (10) seconds or less under normal operating conditions.

The CA SHALL maintain an online 24x7 Repository that software applications can use to automatically check the current status of all unexpired Certificates issued by the CA.

The CA SHALL maintain an uninterrupted 24x7 capability to internally respond to a high-priority Certificate Problem Report, forward the reported complaint to law enforcement authorities, and/or revoke a Certificate that is the subject of such a complaint.

4.10.3 Optional Features

No Stipulation

4.11 END OF SUBSCRIPTION

Certificate Subscriptions end when the certificate has either been revoked or expires.

4.12 KEY ESCROW AND RECOVERY

4.12.1 Key Escrow and Recovery Policy and Practices

Not applicable.

4.12.2 Session Key Encapsulation and Recovery Policy and Practices

Not applicable.

5. MANAGEMENT, OPERATIONAL, AND PHYSICAL CONTROLS

The CA SHALL develop, implement, and maintain a comprehensive security program which includes an annual Risk Assessment that:

1. Identifies foreseeable internal and external threats that could result in unauthorized access, disclosure, misuse, alteration, or destruction of any Certificate Data or Certificate Management Processes;
2. Assesses the likelihood and potential damage of these threats, taking into consideration the sensitivity of the Certificate Data and Certificate Management Processes; and
3. Evaluates the proficiency of the policies, procedures, information systems, technology, and other arrangements that the CA has in place to counter such threats.

Based on the outcome of the Risk Assessment, the CA SHALL develop, implement, and maintain a security plan consisting of security procedures, measures, and products designed to achieve the objectives set forth above and to manage and control the risks identified during the

Risk Assessment, commensurate with the sensitivity of the Certificate Data and Certificate Management Processes. The security plan **MUST** include administrative, organizational, technical, and physical safeguards appropriate to the sensitivity of the Certificate Data and Certificate Management Processes. The security plan **MUST** also take into account then-available technology and cost of implementing the specific measures and **SHALL** implement a reasonable level of security appropriate to the harm that might result from a breach of security and the nature of the data to be protected.

5.1 PHYSICAL SECURITY CONTROLS

5.1.1 Site Location and Construction

CA and RA operations are conducted within physically protected environments designed to detect and prevent unauthorized use or disclosure of, or access to sensitive information and systems. The CA maintains multiple business resumption facilities for CA and RA operations. Business resumption facilities are protected with comparable physical and logical security controls. Business resumption facilities are at geographically disparate locations, so that operations **MAY** continue if one or more locations are disabled.

5.1.2 Physical Access

CA facilities are protected from unauthorized access, through the required use of multi-factor authentication solutions. Facility security systems electronically log ingress and egress of authorized personnel.

Physical access to cryptographic systems, hardware, and activation materials are restricted by multiple access control mechanisms, which are logged, monitored, and video recorded on a 24x7 basis.

5.1.3 Power and Air Conditioning

CA facilities are equipped with redundant power and climate control systems to ensure continuous and uninterrupted operation of CA systems.

5.1.4 Water Exposures

Commercially reasonable safeguards and recovery measures have been taken to minimize the risk of damage from water exposure.

5.1.5 Fire Prevention and Protection

Commercially reasonable fire prevention and protection measures are in place to detect and extinguish fires and prevent damage from exposure to flames or smoke.

5.1.6 Media Storage

Media containing production software, data, audit, and archival backup information **SHALL** be securely stored within facilities with appropriate physical and logical access controls, consistent with Sections 5.1.2 – 5.1.5, that prevent unauthorized access and provide protection from environmental hazards.

5.1.7 Waste Disposal

Sensitive waste material or PKI information SHALL be shredded and destroyed by an approved service. Removable media containing sensitive information SHALL be rendered unreadable before secure disposal. Cryptographic devices, smart cards, and other devices that may contain Private Keys or keying material SHALL be physically destroyed or zeroized in accordance with the manufacturers' waste disposal guidelines.

5.1.8 Off-Site Backup

Alternate facilities have been established for the storage and retention of PKI systems/data backups. The facilities are accessible by authorized personnel on a 24x7 basis with physical security and environmental controls comparable to those of the primary CA facility.

5.2 PROCEDURAL CONTROLS

5.2.1 Trusted Roles

Trusted Roles consist of vetted and approved employees, contractors, or consultants that require access to or control over the CA's PKI operations. Trusted Role positions are subject to a clearly defined set of responsibilities that maintain a strict "separation of duties"; such that, no single person is able to perform both validation duties and certificate issuance fulfillment without a secondary review by another "trusted" team member. The personnel considered for Trusted Role positions MUST successfully pass the screening and training requirements of CPS Section 5.3. Trusted Role positions MAY include, but are not limited to, system administrators, operators, engineers, and certain executives who are designated to oversee CA operations.

Personnel responsible for CA key management, certificate issuance, and management of CA system functions are considered to serve in "Trusted Roles".

5.2.2 Number of Individuals Required per Task

The CA Private Key SHALL be backed up, stored, and recovered only by at least two persons in Trusted Roles using at least dual control (mechanisms) in a physically secured environment.

Systems used to process and approve EV Certificate Requests MUST require actions by at least two persons in Trusted Roles before creating an EV Certificate.

Systems used to process and approve EV Code Signing Certificate and EV Signature requests MUST require actions by at least two persons in Trusted Roles before creating an EV Code Signing Certificate or EV Signature.

5.2.3 Identification and Authentication for Trusted Roles

Individuals in a Trusted Role position SHALL be authorized by management to perform CA or RA duties and MUST satisfy the Personnel Controls requirements specified in Section 5.3.

5.2.4 Roles Requiring Separation of Duties

To ensure a separation of duties, as described in Section 5.2.1, PKI responsibilities relating to access, operations, and audit MUST be performed by separate Trusted Roles.

5.3 PERSONNEL CONTROLS

5.3.1 Qualifications, Experience, and Clearance Requirements

The CA verifies the identity and trustworthiness of all personnel, whether as an employee, agent, or an independent contractor, prior to the engagement of such person(s).

Any personnel occupying a Trusted Role, as defined in 5.2.1, must possess suitable experience and be deemed qualified. Personnel in Trusted Roles shall undergo training prior to performing any duties as part of that role.

5.3.2 Background Check Procedures

Prior to assignment in a Trusted Role position, the prospective CA personnel SHALL undergo and clear the necessary background checks or security screenings requirements, per CA hiring policies, CAB Guidelines, and local laws.

5.3.3 Training Requirements and Procedures

All CA personnel performing information verification duties SHALL receive skills-training and pass an examination prior to commencing their job role that includes:

1. Basic Public Key Infrastructure knowledge,
2. Authentication and vetting policies and procedures (including the CA's CP and CPS),
3. Common threats to the information verification process (including phishing and other social engineering tactics),
4. CA/Browser Forum Guidelines,
5. Applicable functions of the CA's PKI system relative to their assigned Trusted Role

The CA SHALL document records of such training and ensure that personnel entrusted with Validation Specialist duties maintain a skill level that enables them to perform such duties satisfactorily.

5.3.4 Retraining Frequency and Requirements

Trusted Role personnel SHALL receive periodic training to maintain competency with the CA's PKI-related operations and regulatory changes.

The CA SHALL maintain records of all training taken by Trusted Role personnel.

5.3.5 Job Rotation Frequency and Sequence

No stipulation

5.3.6 Sanctions for Unauthorized Actions

In accordance with the CA's HR policies, appropriate disciplinary actions SHALL be taken for unauthorized actions or other violations of PKI policies and procedures.

5.3.7 Independent Contractor Controls

The CA MAY employ contractors, as necessary. Contractors SHALL adhere to background

checks, training, skills assessment, and audit requirements, as appropriate for their role.

5.3.8 Documentation Supplied to Personnel

CA PKI personnel are required to read this CPS and CP. They are also provided with PKI policies, procedures, and other documentation relevant to their job functions.

5.4 AUDIT LOGGING PROCEDURES

5.4.1 Types of Events Recorded

The CA SHALL maintain controls to provide reasonable assurance that significant CA environmental, key management, and certificate management events are accurately and appropriately logged.

The CA and each Delegated Third Party SHALL record details of the actions taken to process a Certificate Request and to issue a Certificate, including all information generated and documentation received in connection with the Certificate Request; the date and time; and the personnel involved. The CA SHALL make these records available to Qualified Auditors, as proof of CA's compliant practices.

The CA SHALL record at least the following events:

1. CA key lifecycle management events, to include: a. Key generation, backup, storage, recovery, archival, and destruction; and b. Cryptographic device lifecycle management events.
2. CA and Subscriber Certificate lifecycle management events, to include: a. Certificate requests, renewal, and re-key requests, and revocation; b. All verification activities stipulated in these Requirements and the CA's Certification Practice Statement; c. Date, time, phone number used, persons spoken to, and end results of verification telephone calls; d. Acceptance and rejection of Certificate Requests; e. Issuance of Certificates; and f. Generation of Certificate Revocation Lists and OCSP entries.
3. Security events, to include: a. Successful and unsuccessful PKI system access attempts; b. PKI and security system actions performed; c. Security profile changes; d. System crashes, hardware failures, and other anomalies; e. Firewall and router activities; and f. CA facility ingress and egress.

Log entries MUST include the following elements:

1. Date and time of entry;
2. Identity of the person making the journal entry; and
3. Description of the entry.

5.4.2 Frequency for Processing and Archiving Audit Logs

Audit logs are reviewed on an as-needed basis.

5.4.3 Retention Period for Audit Logs

Audit logs SHALL be retained for a period of at least seven (7) years and made available to the CA's Qualified Auditor upon request.

5.4.4 Protection of Audit Log

Audit logs are protected from unauthorized viewing, modification, deletion, or other tampering using a combination of physical and logical security access controls.

5.4.5 Audit Log Backup Procedures

Audit logs are backed up and archived in accordance with business practices.

5.4.6 Audit Log Accumulation System (Internal vs. External)

No Stipulation

5.4.7 Notification to Event-Causing Subject

No Stipulation

5.4.8 Vulnerability Assessments

The CA MUST maintain detection and prevention security controls to safeguard Certificate Systems against potential threats or vulnerabilities.

Vulnerability assessments and penetration testing on the CA environment SHALL at least be performed in accordance with the CAB Forum Baseline Requirements, EV Guidelines, and Section 4 of the Network Security Requirements.

5.5 RECORDS ARCHIVAL

5.5.1 Types of Records Archived

The CA SHALL maintain archived backups of application and system data. Archived information MAY include, but are not limited to, the following:

- Audit data, as specified in Section 5.4
- Data related to Certificate requests, verifications, issuances, and revocations
- CA policies, procedures, entity agreements, compliance records,
- Cryptographic device and key life cycle information
- Systems management and change control activities

5.5.2 Retention Period for Archive

CA SHALL retain all documentation relating to a Certificate's activities for a period of at least seven (7) years after the Certificate ceases to be valid.

5.5.3 Protection of Archive

Archives of relevant records are secured using a combination of physical and logical access controls at both the primary and backup locations. Access is restricted to authorized personnel and SHALL be maintained for the period of time specified in Section 5.5.2.

5.5.4 Archive Backup Procedures

Adequate backup procedures SHALL be in place so that in the event of the loss or destruction of the primary archives, a complete set of backup copies will be readily available within a feasible period of time.

5.5.5 Requirements for Time-Stamping of Records

Certificates, CRLs, and other database entries shall contain time and date information.

5.5.6 Archive Collection System (Internal or External)

The CA SHALL employ appropriate systems for the collection and maintenance of archived records.

5.5.7 Procedures to Obtain and Verify Archive Information

Only authorized CA personnel SHALL have access to primary and backup archives. The CA MAY, at its own discretion, release specific archived information, following a formal request from a Subscriber, a Relying Party, or an authorized agent thereof.

5.6 KEY CHANGEOVER

No Stipulation

5.7 COMPROMISE AND DISASTER RECOVERY

5.7.1 Incident and Compromise Handling Procedures

All CA organizations SHALL have formal Incident Response, Disaster Recovery, and/or Business Continuity Plans that contain documented procedures to notify and reasonably protect Application Software Suppliers, Subscribers, and Relying Parties in the event of a disaster, security compromise, or business failure. Business Continuity and Security Plans do not have to be publicly disclosed, but the CA SHALL make them available to auditors upon request and annually test, review, and update the procedures.

The Business Continuity Plan SHALL align with the requirements of the CAB Forum's Baseline Requirements and EV Guidelines.

5.7.2 Recovery Procedures if Computing Resources, Software, and/or Data Are Corrupted

See Section 5.7.4.

5.7.3 Recovery Procedures After Key Compromise

The CA's business continuity plan contains the procedures to address incidents in which a CA Private Key is suspected to be or has been compromised. Upon thorough investigation,

appropriate actions will be taken to revoke and generate new key pairs, notify affected Subscribers, and coordinate revoking and reissuing the affected certificates.

5.7.4 Business Continuity Capabilities After a Disaster

In the event of a disaster, the CA has established and maintains business continuity capabilities to address the recovery of PKI services in the event of critical interruptions or outages with CA operations. The recovery procedures align with those identified in Section 5.7.1.

5.8 CA OR RA TERMINATION

In the event that it is necessary to terminate the operation of a CA, CA management will plan and coordinate the termination process with its Subscribers and Relying Parties, such that the impact of the termination is minimized. The CA will make a commercially reasonable effort to provide prior notice to Subscribers and Relying Parties and preserve relevant records for a period of time deemed fit for functional and legal purposes.

6. TECHNICAL SECURITY CONTROLS

6.1 KEY PAIR GENERATION AND INSTALLATION

6.1.1 Key Pair Generation

6.1.1.1 CA Key Pair Generation

The CA SHALL have effective practices and controls in place to reasonably assure that the generation of Root and Subordinate CA key pairs are performed in a physically secured environment, using cryptographic modules that meet the requirements of Section 6.2, by multiple Trusted Role personnel, following a prepare generated script, and either witnessed in-person or validated from a recorded video of the ceremony by a Qualified Auditor.

6.1.1.2 RA Key Pair Generation

No Stipulation

6.1.1.3 Subscriber Key Pair Generation

The Subscriber MAY generate their own key pairs, in accordance to the requirements set forth in Section 6.1.5 and 6.1.6. If the Subscriber does not adhere to these requirements or has a known weak Private Key, the CA SHALL reject the Certificate Request.

6.1.2 Private Key Delivery to Subscriber

If a Subscriber generates their own key pairs, Private Key delivery is not performed. In the event the CA is authorized to generate a Private Key on behalf of a Subscriber, the Private Key will be encrypted prior to transporting to the Subscriber.

6.1.3 Public Key Delivery to Certificate Issuer

No Stipulation

6.1.4 CA Public Key Delivery to Relying Parties

No Stipulation

6.1.5 Key Sizes

Certificates issued under this CA hierarchy SHALL meet the following minimum requirements:

Root CA, Subordinate CA, and Subscriber Certificates

Key Algorithm	Values
Digest Algorithm	SHA-256, SHA-384, SHA-512
Minimum RSA Modulus Size (bits)	2048
ECC Curve	NIST P-256, P-384

Digital Signature Algorithm (DSA) key lengths (L and N) are described in the Digital Signature Standard, FIPS 186-4 (<http://csrc.nist.gov/publications/pubsfips.html>).

Certificate Key configurations SHALL conform with this CPS, the respective CP, and the CAB Forum's Baseline Requirements and EV Guidelines.

6.1.6 Public Key Parameter Generation and Quality Checking

The CA SHALL generate Private Keys using secure algorithms and parameters based on current research and industry standards.

Quality checks for both RSA and ECC algorithms are performed on generated CA keys.

6.1.7 Key Usage Purposes

Root Certificate Private Keys MUST NOT be used to sign Certificates, except in the following cases:

1. Self-signed Certificates to represent the Root CA;
2. Certificates for Subordinate CAs and Cross Certificates;
3. Certificates for infrastructure purposes (administrative role certificates, internal CA operational device certificates); and
4. Certificates for OCSP Response verification.

6.2 PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS

The CA SHALL implement physical and logical security controls to prevent the unauthorized issuance of a certificate. The CA Private Key MUST be protected outside of the validated system or device specified above, using physical security, encryption, or a combination of both, and be implemented in a manner that prevents its disclosure. The CA SHALL encrypt the Private Key with an algorithm and key-length that are capable of withstanding cryptanalytic attacks for the residual life of the encrypted key or key part.

6.2.1 Cryptographic Module Standards and Controls

CA key pairs are generated and protected by validated FIPS 140-2 level 3 hardware cryptographic modules that meet industry standards for random and prime number generation.

6.2.2 Private Key (m out of n) Multi-Person Control

The participation of multiple individuals in Trusted Role positions are required to perform sensitive CA Private Key operations (e.g., hardware security module (HSM) activation, signing operations, CA key backup, CA key recovery, etc.).

6.2.3 Private Key Escrow

No Stipulation

6.2.4 Private Key Backup

Backup copies of CA Private Keys SHALL be backed up by multiple persons in Trusted Role positions and only be stored in encrypted form on cryptographic modules that meet the requirements specified in Section 6.2.1.

6.2.5 Private Key Archival

No Stipulation

6.2.6 Private Key Transfer into or from a Cryptographic Module

No Stipulation

6.2.7 Private Key Storage on Cryptographic Module

See Section 6.2.1

6.2.8 Activating Private Keys

Cryptographic modules used for CA Private Key protection utilize a smart card based activation mechanism by multiple Trusted Role personnel using multi-factor authentication.

6.2.9 Deactivating Private Keys

No Stipulation

6.2.10 Destroying Private Keys

CA Private Keys SHALL be destroyed when they are no longer needed or when the Certificates, to which they correspond, expire or are revoked. The destruction process shall be performed by multiple Trust Role personnel and documented using verifiable methods.

6.2.11 Cryptographic Module Capabilities

See Section 6.2.1.

6.3 OTHER ASPECTS OF KEY PAIR MANAGEMENT

6.3.1 Public Key Archival

Copies of CA and Subscriber certificates and Public Keys SHALL be archived in accordance with Section 5.5.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

For Certificates issued after the publication of this CPS, the following key and certificate operational periods SHALL be deployed.

Entity Type	Maximum Certificate Validity Period
Root CA	25 Years
Subordinate CAs	20 Years
Subscribers	Issued between 7/1/2016 – 3/1/2018 = 39 months Issued after March 1, 2018 = 825 days

6.4 ACTIVATION DATA

6.4.1 Activation Data Generation and Installation

CA shall protect activation data from compromise or disclosure. Appropriate cryptographic and physical access controls shall be implemented to prevent unauthorized use of any CA Private Key activation data.

6.4.2 Activation Data Protection

No Stipulation

6.4.3 Other Aspects of Activation Data

No Stipulation

6.5 COMPUTER SECURITY CONTROLS

6.5.1 Specific Computer Security Technical Requirements

CA systems SHALL be secured from unauthorized access using multi-factor authentication security controls.

6.5.2 Computer Security Rating

No Stipulation

6.6 LIFE CYCLE TECHNICAL CONTROLS

6.6.1 System Development Controls

No Stipulation

6.6.2 Security Management Controls

No Stipulation

6.6.3 Life Cycle Security Controls

No Stipulation

6.7 NETWORK SECURITY CONTROLS

CA systems SHALL reside in highly segmented networks constrained from both the Internet and corporate networks via multiple levels of firewalls. Interaction with outside entities shall only be performed with servers located in a demilitarized zone (DMZ). All networks associated with CA operations SHALL be monitored by a network intrusion detection system. All systems associated with CA activities shall be hardened with services restricted to only those necessary for CA operations. Changes SHALL be documented and approved via a change management system. Logical and physical access to CA systems and facilities requires two trusted and qualified Microsoft employees.

6.8 TIME-STAMPING

Certificates, CRLs, and other revocation database entries SHALL contain time and date information.

7. CERTIFICATE, CRL, AND OCSP PROFILES

7.1 CERTIFICATE PROFILE

CA certificates SHALL be X.509 Version 3 format, conform to RFC5280: Internet X.509 Public Key Infrastructure Certificate and CRL profile, and adhere to the CAB Forum's Baseline Requirements and EV Guidelines.

7.1.1 Version Number(s)

CAs SHALL issue certificates that are compliant with X.509 Version 3.

7.1.2 Certificate Content and Extensions; Application of RFC 5280

The extensions defined for the CA's X.509 v3 certificates provide methods for associating additional attributes with users or Public Keys and for managing the certification hierarchy. Each extension in a certificate is designated as either critical or non-critical.

Certificate extensions, their criticality, and cryptographic algorithm object identifiers, are provisioned according to the IETF RFC 5280 standards and/or comply with CAB Forum Baseline Requirements and EV Guidelines.

7.1.2.1 Root CA Certificate

Root CAs SHALL ensure that the content of the Certificate Issuer Distinguished Name field matches the Subject DN of the Issuing CA to support Name chaining, as specified in RFC 5280.

7.1.2.2 Subordinate CA Certificate

Subordinate CA Certificates MAY include extensions and values that are pertinent for their intended use, in accordance with this CPS and RFC 5280, and the CAB Forum's Baseline Requirements and EV Guidelines.

7.1.2.3 Subscriber Certificate

Subscriber Certificates MAY include extensions and values that are pertinent for their intended use, in accordance with this CPS, RFC 5280, and the CAB Forum's Baseline Requirements and EV Guidelines.

7.1.2.4 All Certificates

All other provisions MUST be set in accordance with RFC 5280 and/or CAB Forum Baseline Requirements and EV Guidelines, as appropriate.

7.1.2.5 Application of RFC 5280

The applicability of RFC 5280 SHALL be governed by the respective Requirements and Guidelines of the Internet Engineering Task Force (IETF) and the CA/Browser Forum (CAB Forum).

7.1.3 Algorithm Object Identifiers

No Stipulation

7.1.4 Name Forms

Microsoft PKI Services represents the following as it relates to name forms.

- As of the issuance date, all Subject information is accurate, and all attributes present in the Subject field of a certificate have been verified;
- SSL/TLS Certificates MUST NOT contain metadata such as '.', '-', and ' ' characters or any indication that a value or field is absent, incomplete, or not applicable;
- SSL/TLS Certificates MUST NOT contain underscore characters ("_") in dNSName entries;
- OU fields are restricted to Subscriber information that has been verified in accordance with section 3 of this CPS;
- CA certificates contain a commonName attribute that uniquely identifies and distinguishes it from other CAs; and
- Certificates SHALL be issued with name forms in accordance with RFC 5280 and Section 3 of this CPS.

7.1.4.1. Issuer Information

No Stipulation

7.1.4.2. Subject Information – Subscriber Certificates

No Stipulation

7.1.4.2.1. Subject Alternative Name Extension

EV SSL, EV Code Signing, domain-validated, and organization-validated SSL Certificates MUST contain a valid and complete Subject Alternative Name (SAN) extension

7.1.4.2.2. Subject Distinguished Name Fields

No Stipulation

7.1.4.3. Subject Information – Root Certificates and Subordinate CA Certificates

By issuing a Subordinate CA Certificate, the CA represents that it followed the procedure set forth in this CPS to verify that, as of the Certificate's issuance date, all of the Subject Information was accurate.

7.1.4.3.1. Subject Distinguished Name Fields

No Stipulation

7.1.5 Name Constraints

CAs reserve the right to issue Certificates with Name Constraints and mark them as critical, where necessary. Unless otherwise documented in this CPS the use of Name Constraints SHALL conform with the X.509 V3 standard (RFC 5280) and the CAB Forum's Baseline Requirements and EV Guidelines.

7.1.6 Certificate Policy Object Identifier

CAs SHALL issue Certificates with policy identifiers set forth in Section 1.2 herein, and comply with the provisions of this CPS and the CAB Forum Baseline Requirements and EV Guidelines.

7.1.6.1 Reserved Certificate Policy Object Identifiers

No Stipulation

7.1.6.2 Root CA Certificates

No Stipulation

7.1.6.3 Subordinate CA Certificates

No Stipulation

7.1.6.4 Subscriber Certificates

No Stipulation

7.1.7 Usage of Policy Constraints Extension

No Stipulation

7.1.8 Policy Qualifiers Syntax and Semantics

No Stipulation

7.1.9 Processing Semantics for the Critical Certificate Policies Extension

No Stipulation

7.2 CRL PROFILE

CRL Profiles comply with X.509 V3 standards.

7.2.1 Version Number(s)

No Stipulation

7.2.2 CRL and CRL Entry Extensions

No Stipulation

7.3 OCSP PROFILE

The profile for OCSP responses issued under this PKI System conforms to RFC 5019 and RFC 6960 standards.

7.3.1 Version Number(s)

No Stipulation

7.3.2 OCSP Extensions

No Stipulation

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

The CA SHALL at all times:

1. Be licensed as a CA in each jurisdiction of operation, where required, for the issuance of Certificates;
2. Operate its PKI and issue Certificates in accordance with all applicable laws and guidelines in every jurisdiction of operation;
3. Comply with the audit requirements set forth in this Section 8.
4. Comply with these requirements

8.1 FREQUENCY OR CIRCUMSTANCES OF ASSESSMENT

The CA must have an independent auditor annually assess the CA's compliance to the stated requirements and practices of this CPS, the CP, and/or the CAB Forum's Baseline Requirements and EV Guidelines. The results of the audit SHALL be provided in an Audit

Report indicating compliance status with the applicable standards under the audit scheme herein.

Any changes to the CA business practices are subject to and SHALL require Self Audits, as described in Section 8.7. Any audit deficiencies SHALL be addressed and remedied, in accordance with Section 8.5. The annual audit SHALL include items mentioned in Section 8.4.

8.2 IDENTITY/QUALIFICATIONS OF ASSESSOR

The CA SHALL have an annual audit conducted by an independent licensed Auditor that demonstrates proficiency in the criteria specified in Section 8.4 and maintains a Professional Liability/Errors, & Omissions insurance policy with a minimum coverage of one million US dollars.

8.3 ASSESSOR'S RELATIONSHIP TO ASSESSED ENTITY

The entity that performs the annual audit SHALL be completely independent of the CA.

8.4 TOPICS COVERED BY ASSESSMENT

Annual audits SHALL be performed by an independent certified Auditor that assesses the CA's PKI operations in accordance with the stipulations documented in their CPS, the CP, applicable Auditors' Principles and Criteria for Certification Authorities, and the CA/Browser Forum's Baseline Requirements and EV Guidelines.

8.5 ACTIONS TAKEN AS A RESULT OF DEFICIENCY

Deficiencies identified by the auditor during the compliance audit will determine the actions to be taken. The PKI Policy Authority is responsible for ensuring that remediation plans are promptly developed, documented, and corrective actions are taken within an adequate timeframe corresponding to the significance of identified matters.

8.6 COMMUNICATION OF RESULTS

Audit results are provided to the PKI Policy Authority, who will distribute to the necessary parties, as required. General audit findings that do not impact the overall audit opinion are not required to be publicized. The CA SHALL make the annual Audit Reports publicly available in the PKI repository referenced in Section 2.1.

8.7 SELF-AUDITS

The CA SHALL perform quarterly self-audits of its PKI business practices, in accordance with its CPS, the Microsoft PKI Services CP, and the respective CAB Forum Requirements and EV Guidelines.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1 FEES

9.1.1 Certificate Issuance or Renewal Fees

Microsoft reserves the right to charge Subscribers fees for Certificate issuance and renewals.

9.1.2 Certificate Access Fees

Microsoft PKI Services reserves the right to charge a fee for making a Certificate available in a repository or otherwise.

9.1.3 Revocation or Status Information Access Fees

Microsoft PKI Services does not charge a fee to Relying Parties for access to revocation or status information in accordance with Section 2.s. Microsoft PKI Services reserves the right to charge a fee for providing customized CRLs or other value-added revocation and status information services.

9.1.4 Fees for Other Services

Microsoft PKI Services does not charge a fee for accessing this CPS. However, any use of the CPS for purposes other than viewing the document, including reproduction, redistribution, modification, or creation of derivative works, may be subject to a license agreement with the entity holding the copyright to the document.

9.1.5 Refund Policy

Not Applicable

9.2 FINANCIAL RESPONSIBILITY

9.2.1 Insurance Coverage

Microsoft maintains insurance or self-insures in accordance with Section 9.2.1 of the CP.

9.2.2 Other Assets

Customers shall have access to sufficient financial resources to support operations and perform duties in accordance with the Microsoft PKI Services CP and shall be able to bear the risk of liability to Subscribers and Relying Parties.

9.2.3 Insurance or Warranty Coverage for End-Entities

No Stipulation

9.3 CONFIDENTIALITY OF BUSINESS INFORMATION

9.3.1 Scope of Confidential Information

Sensitive Microsoft PKI Services information shall remain confidential to Microsoft PKI Services. The following information is considered confidential to Microsoft PKI Services and may not be disclosed:

- Microsoft PKI Services policies, procedures and technical documentation supporting this CPS;
- Subscriber registration records, including: Certificate applications, whether approved or rejected, proof of identification documentation and details;

- Certificate information collected as part of the registration records, beyond that which is required to be included in Subscriber Certificates;
- Audit trail records;
- Any Private Key within the Microsoft PKI Services CA hierarchy; and
- Compliance audit results except for WebTrust for CAs audit reports which may be published at the discretion of Microsoft PKI Policy Authority.

9.3.2 Information Not Within the Scope of Confidential Information

This CPS, Certificates and CRLs issued by Microsoft PKI Services and any information that the CA has explicitly authorized to disclose are not considered confidential.

Microsoft may disclose Subscriber information on an aggregate basis, and the Subscriber hereby grants to Microsoft a license to do so, including the right to modify the aggregated Subscriber information and to permit third parties to perform such functions on its behalf.

This Section 9.3.2 is subject to applicable privacy laws.

9.3.3 Responsibility to Protect Confidential Information

Microsoft PKI Services PKI participants receiving private information shall secure it from compromise and disclosure to third parties.

9.4 PRIVACY OF PERSONAL INFORMATION

9.4.1 Privacy Plan

Microsoft follows the governing principles established by the Microsoft privacy statement located at <http://privacy.microsoft.com/en-us/default.aspx> when handling personal information.

9.4.2 Information Treated as Private

Information about Subscribers that is not publicly available through the content of the issued Certificate and CRLs is treated as private.

9.4.3 Information Not Deemed Private

See Section 9.3.2.

9.4.4 Responsibility to Protect Private Information

See Section 9.3.3.

9.4.5 Notice and Consent to Use Private Information

Unless where otherwise stated in this CPS, the applicable Privacy Policy, or by agreement, private information will not be used without the consent of the party to whom that information applies. This Section 9.4.5 is subject to applicable privacy laws.

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

Microsoft PKI Services shall be entitled to disclose Confidential/Private Information if, in good faith, Microsoft PKI Services believes that:

- Disclosure is necessary in response to subpoenas and search warrants
- Disclosure is necessary in response to judicial, administrative, or other legal process during the discovery process in a civil or administrative action, such as subpoenas, interrogatories, requests for admission, and requests for production of documents.

9.4.7 Other Information Disclosure Circumstances

No Stipulation

9.5 INTELLECTUAL PROPERTY RIGHTS

The following are the property of Microsoft:

- This CPS;
- Policies and procedures supporting the operation of Microsoft PKI Services;
- Certificates and CRLs issued by Microsoft PKI Services managed CAs;
- Distinguished Names (DNs) used to represent entities within the Microsoft PKI Services CA hierarchy; and
- CA infrastructure and Subscriber key pairs.

Microsoft PKI Services PKI participants acknowledge that Microsoft PKI Services retains all Intellectual Property Rights in and to this CPS.

9.6 REPRESENTATIONS AND WARRANTIES

Microsoft PKI Services warrants and promises to provide certification authority services substantially in compliance with this CPS and the relevant Microsoft Certificate Policies. Microsoft PKI Services makes no other warranties or promises and has no further obligations to Subscribers or Relying Parties, except as set forth under this CPS.

9.6.1 CA Representations and Warranties

See Section 9.6

9.6.2 RA Representations and Warranties

See Section 9.6

9.6.3 Subscriber Representations and Warranties

See Section 9.6

9.6.4 Relying Party Representations and Warranties

See Section 9.6

9.6.5 Representations and Warranties of Other Participants

See Section 9.6

9.7 DISCLAIMERS OF WARRANTIES

Except for express warranties stated in this CPS, Microsoft PKI Services disclaims all other warranties, promises and other obligations. In addition, Microsoft PKI Services is not liable for any loss:

- To CA or RA services due to war, natural disasters or other uncontrollable forces;
- Incurred between the time a Certificate is revoked and the next scheduled issuance of a CRL;
- Due to unauthorized use of Certificates issued by Microsoft PKI Services, or use of Certificates beyond the prescribed use defined by this CPS;
- Arising from the negligent or fraudulent use of Certificates or CRLs issued by the Microsoft PKI Services; and
- Due to disclosure of personal information contained within Certificates, CRLs or OCSP responses.

9.8 LIMITATIONS OF LIABILITY

WE AND OUR AFFILIATES OR LICENSORS WILL NOT BE LIABLE TO YOU FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES (INCLUDING DAMAGES FOR LOSS OF PROFITS, GOODWILL, USE, OR DATA), EVEN IF A PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. FURTHER, NEITHER WE NOR ANY OF OUR AFFILIATES OR LICENSORS WILL BE RESPONSIBLE FOR ANY COMPENSATION, REIMBURSEMENT, OR DAMAGES ARISING IN CONNECTION WITH: (A) YOUR INABILITY TO USE A CERTIFICATE, INCLUDING AS A RESULT OF (I) ANY TERMINATION OR SUSPENSION OF THIS AGREEMENT OR THE CPS OR REVOCATION OF A CERTIFICATE, (II) OUR DISCONTINUATION OF ANY OR ALL SERVICE OFFERINGS IN CONNECTION WITH THIS AGREEMENT, OR, (III) ANY DOWNTIME OF ALL OR A PORTION OF CERTIFICATE SERVICES FOR ANY REASON, INCLUDING AS A RESULT OF POWER OUTAGES, SYSTEM FAILURES OR OTHER INTERRUPTIONS; (B) THE COST OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; (C) ANY INVESTMENTS, EXPENDITURES, OR COMMITMENTS BY YOU IN CONNECTION WITH THIS AGREEMENT OR YOUR USE OF OR ACCESS TO MICROSOFT'S CERTIFICATE SERVICES; OR (D) ANY UNAUTHORIZED ACCESS TO, ALTERATION OF, OR THE DELETION, DESTRUCTION, DAMAGE, LOSS OR FAILURE TO STORE ANY OF YOUR CONTENT OR OTHER DATA. IN ANY CASE, MICROSOFT AND ITS AFFILIATES' AND LICENSORS' AGGREGATE LIABILITY IN CONNECTION WITH THIS AGREEMENT AND ALL CERTIFICATES ISSUED HEREUNDER, IS THE LESSER OF THE AMOUNT PAID BY YOU FOR THE CERTIFICATE(S) AT ISSUE OR THE AMOUNTS PAID FOR THE CERTIFICATE SERVICES FOR THE CERTIFICATE(S) AT

ISSUE IN THE LAST TWELVE (12) MONTHS BEFORE THE CLAIM AROSE; PROVIDED, HOWEVER, THAT FOR ANY EV CERTIFICATE ISSUED UNDER THIS AGREEMENT EXCEPT FOR AS EXPRESSLY EXCLUDED PER SECTION 8(c), OUR AND OUR AFFILIATES' AND LICENSORS' AGGREGATE LIABILITY IS LIMITED TO \$2000 US DOLLARS PER SUBSCRIBER OR RELYING PARTY PER EV CERTIFICATE.

9.9 INDEMNITIES

9.9.1 Indemnification by CAs

See Section 9.9

9.9.2 Indemnification by Subscribers

To the extent permitted by law, Subscriber indemnifies Microsoft, Microsoft's partners, and any cross-signed entities, and their respective employees, directors, agents, and representatives from, and defend the indemnified parties against, any and all third party claims, including Relying Parties, to the extent arising from or related to: (a) Subscriber's failure to perform any of your warranties, representations, and obligations under this Agreement; (b) any omissions, falsehoods or misrepresentations of fact, regardless of whether the misrepresentation or omission was intentional or unintentional, Subscriber makes on the Certificate or in connection with this Agreement; (c) any infringement of an intellectual property right of any person or entity in information or content provided by Subscriber; (d) Subscriber's misuse of a Certificate or private key; or (e) failure to protect the private key, credentials, or use a trustworthy system, or to take the precautions necessary to prevent the compromise, loss, disclosure, modification, or unauthorized use of the private key under the terms of this Agreement. The CA and its RAs are not the agents, fiduciaries, trustees, or other representatives of Subscribers or Relying Parties.

9.9.3 Indemnification by Relying Parties

To the extent permitted by law, Relying Party indemnifies Microsoft, Microsoft's partners, and any cross-signed entities, and their respective employees, directors, agents, and representatives from, and any third-party Certificate Authority or RA providing services to Microsoft or any of its affiliates in relation to the Certificate and defend the indemnified parties against, any loss, damage, or expense, including reasonable attorney's fees, related to the Relying Party's (i) breach of any service terms applicable to the services provided by Microsoft or its affiliates and used by the Relying Party, the Relying Party Agreement, this CPS, or applicable law; (ii) unreasonable reliance on a certificate or any constituent elements of it; or (iii) failure to check the certificate's status prior to use.

9.10 TERM AND TERMINATION

9.10.1 Term

This CPS becomes effective upon publication in the Repository.

This CPS, as amended from time to time, shall remain in force until it is replaced by a new version. Amendments to this CPS become effective upon publication in the Repository.

9.10.2 Termination

This CPS and any amendments remain in effect until replaced by a newer version.

9.10.3 Effect of Termination and Survival

Upon termination of this CPS, participants are nevertheless bound by its terms for all Certificates issued for the remainder of the validity periods of such Certificates.

9.11 INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS

Any notice, demand, or request pertaining to this CPS shall be communicated either using digitally signed messages consistent with this CPS, or in writing. Microsoft accepts notices related to this CPS at the locations specified in Section 2.2. Notices are deemed effective after the sender receives a valid and digitally signed acknowledgment of receipt from Microsoft. If an acknowledgement of receipt is not received within five days, the sender must resend the notice in paper form to the street address specified in Section 2.2 using either a courier service that confirms delivery or via certified or registered mail with postage prepaid and return receipt requested. Microsoft may allow other forms of notice in its Subscriber Agreements.

9.12 AMENDMENTS

9.12.1 Procedure for Amendment

Amendments to this CPS may be made by Microsoft PKI Services Service Manager and shall be approved by the Microsoft PKI Policy Management Authority as per Section 1.5.4.

9.12.2 Notification Mechanism and Period

No Stipulation

9.12.3 Circumstances under which OID must be changed

No Stipulation

9.13 DISPUTE RESOLUTION PROVISIONS

In the event of any dispute involving the services or provisions covered by this CPS, the aggrieved party shall notify a member of Microsoft PKI Policy Authority regarding the dispute. Microsoft PKI Policy Authority will involve the appropriate Microsoft personnel to resolve the dispute.

9.14 GOVERNING LAW

The laws of the state of Washington State govern the interpretation, construction, and enforcement of this CPS, including tort claims, without regard to any conflicts of law principles. The state or federal courts located in King County, Washington have nonexclusive venue and jurisdiction over any proceedings related to the CPS. Microsoft may seek injunctive or other relief in any state, federal, or national court of competent jurisdiction for any actual or alleged infringement of our, our affiliates, or any third party's intellectual property or other proprietary

rights. The United Nations Convention for the International Sale of Goods does not apply to this CPS.

9.15 COMPLIANCE WITH APPLICABLE LAW

This CPS is subject to all applicable laws and regulations, including United States restrictions on the export of software and cryptography products.

9.16 MISCELLANEOUS PROVISIONS

9.16.1 Entire Agreement

Microsoft contractually obligates each RA to comply with this CPS and applicable industry guidelines. Microsoft also requires each party using its products and services to enter into an agreement that delineates the terms associated with the product or service. If an agreement has provisions that differ from this CPS, then the agreement with that party controls, but solely with respect to that party. Third parties may not rely on or bring action to enforce such agreement.

9.16.2 Assignment

Any entities operating under this CPS may not assign their rights or obligations without the prior written consent of Microsoft. Unless specified otherwise in a contract with a party, Microsoft does not provide notice of assignment. This CPS shall be binding on all successors of the parties.

9.16.3 Severability

If any provision of this CPS is held invalid or unenforceable by a competent court or tribunal, the remainder of the CPS will remain valid and enforceable. It is expressly agreed that every provision of this CPS that provides for a limitation of liability or exclusion of damages, disclaimer or limitation of any warranties, promises or other obligations, is intended to be severable and independent of any other provision and is to be enforced as such.

9.16.4 Enforcement (attorneys' fees and waiver of rights)

Microsoft may seek indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. Microsoft's failure to enforce a provision of this CPS does not waive Microsoft's right to enforce the same provision later or right to enforce any other provision of this CPS. To be effective, waivers must be in writing and signed by Microsoft.

9.16.5 Force Majeure

Microsoft is not liable for any delay or failure to perform an obligation under this CPS to the extent that the delay or failure is caused by an occurrence beyond Microsoft's reasonable control. The operation of the Internet is beyond Microsoft's reasonable control.

9.17 OTHER PROVISIONS

This CPS shall be interpreted consistently with what is commercially reasonable in good faith under the circumstances and considering its international scope and uniform application.